

6

Application Challenges from a Bird's-Eye View

Davide Scaramuzza

University of Zurich, Robotics and Perception Group

6.1 Introduction to Micro Aerial Vehicles (MAVs)

An Unmanned Aerial Vehicle (UAV), commonly known as a drone, is an aircraft without a human pilot aboard. The International Civil Aviation Organization (ICAO) of the United Nations classifies UAVs into two types: (i) autonomous aircrafts, (ii) remotely piloted aircrafts. UAVs were initially conceived for military applications but in the recent years we have witnessed also a growing number of civil applications, such as law enforcement and firefighting, security and surveillance, agriculture, aerial photography, inspection, and search and rescue.

Micro Aerial Vehicles (MAVs)

With the term Micro Aerial Vehicle (MAV) is meant a miniature UAV that is less than 1 meter in size and below 2kg in weight. Some MAVs can even be as small as a few centimeters and weigh only a few grams (c.f. Ma et al. (2013); Troiani et al. (2013)).

MAVs can be seen as the logical extension of ground mobile robots. Their ability to fly allows them to easily avoid obstacles on the ground and to have an excellent bird-eye view. MAVs can be classified into rotorcrafts (or rotary wing), fixed or flapping wing, or hybrid (c.f. Figure 6.1).

Rotorcraft MAVs

Small rotorcrafts have several advantages compared to those based on fixed-wings: they are able to take off and land vertically, hover on a spot, and even dock to a surface (c.f. Kumar and Michael (2012)). This capability allows them to navigate easily in unstructured, indoor environments (Shen et al. (2012)), pass through windows (Achtelik et al. (2009)), traverse narrow corridors (Zingg et al. (2010b)), climb stairs (Bills et al. (2011b)), and navigate through or over damaged buildings for rescue or inspection operations (Faessler



Figure 6.1 A few examples of MAVs. From left to right: the SenseFly eBee, the DJI Phantom, the hybrid XPlusOne, and the FESTO BionicOpter.

et al. (2015b); Michael et al. (2012b)). Thus, they are the ideal platform for exploration, mapping, and monitoring tasks in search-and-rescue and remote-inspection scenarios.

Multirotor MAVs come usually in the form of quadrotors (also known as quadcopters), hexacopters, or octocopters and have matched sets of rotors turning in opposite directions. The smaller the number of rotors, the better the efficiency of the vehicle. On the other hand, the achievable dynamics and, therefore, the maneuverability of the vehicle can be enhanced by a larger number of propellers and a smaller ratio between rotor surface and total weight (Achtelik et al. (2012)). Additionally, hexacopters and octocopters offer redundancy against single-rotor failure. However, quadrotors have become very successful nowadays because of their relatively-simple design.

6.2 GPS-denied Navigation

To date, most autonomous MAVs rely on GPS to navigate outdoors. However, GPS may not be reliable in case of low satellite coverage or multipath, two phenomena that are very frequent in urban settings when flying at low altitudes and close to buildings. Furthermore, GPS is completely unavailable indoors, thus limiting the use of drones in search-and-rescue or remote-inspection operations. At the current state, most MAVs used in search and rescue-and-remote inspection-scenarios are teleoperated under direct line of sight with the operator (c.f. Murphy (2014)). If wireless communication with the MAV can be maintained, there is the possibility to teleoperate the MAV by transmitting video streams from onboard cameras to the operator. However, teleoperation from video streams is extremely challenging in indoor

environments. Furthermore, wireless communication cannot be guaranteed after a certain range. For these reasons, there is a large need of flying robots that can navigate autonomously, without any user intervention.

The key problem in MAV navigation is attitude and position control. Today's systems handle well the attitude control using proprioceptive sensors, such as Inertial Measurement Units (IMU). However, without position control, they are prone to drift over time. In GPS-denied environments, this can be solved using offboard sensors (such as motion-capture systems) or onboard sensors (such as cameras and laser rangefinders). Motion-capture systems (e.g., Vicon or OptiTrack) consist of a set of external cameras mounted on the ceiling, which track the position of the robots with submillimeter accuracy and at high frame rates (more than 350 Hz). They are very appropriate for testing and evaluation purposes (c.f. Lupashin et al. (2014); Michael et al. (2010b)), such as prototyping control strategies or fast maneuvers, and serve as a ground-truth reference for other localization approaches. However, for truly autonomous navigation in unknown, yet-unexplored environments, sensors should be installed onboard.

A journal special issue on MAV onboard perception and control was published by Michael et al. (2012a). The literature can be divided into approaches using range sensors (e.g., lidars or RGB-D sensors) and camera sensors.

6.2.1 *Autonomous Navigation with Range Sensors*

Lidars have been largely explored for ground mobile robots (c.f. Thrun et al. (2007)) and similar strategies have been extended to MAVs (c.f. Achtelik et al. (2009); Bachrach (2009)). Using an RGB-D camera and a 2D laser, multi-floor mapping results have recently been demonstrated using an autonomous quadrotor (c.f. Shen et al. (2012), Figure 6.2). Although lidars and RGB-D sensors are very accurate and robust, they are still too heavy and consume too much power for lightweight MAVs. Therefore, cameras are the only viable sensors in the medium-long term; however, they require external illumination to see, and a certain computing power to extract meaningful information for navigation.

6.2.2 *Autonomous Navigation with Vision Sensors*

Reactive Navigation

Most works on vision-based reactive navigation of MAVs have relied on biologically-inspired vision algorithms, such as optical flow (c.f. Floreano et al. (2009); Hrabar and Sukhatme (2009); Ruffier and Franceschini (2004); Zufferey (2009)). Optical flow has been applied to MAVs for tasks such as on-spot hovering, take-off, landing, and, more generally, reactive navigation (e.g., for obstacle avoidance or to keep the MAV in the center of a canyon by balancing the optical flow on both sides of the robot field of view). While optical flow is crucial for reactive navigation, it cannot be used for precise maneuvers, such as trajectory-following. Furthermore, optical flow only measures the relative velocity, leading the MAV to inevitably drift over time. Nevertheless, due to the limited computational power required by optical flow, this approach has been successfully integrated in several commercial drones, such as the Parrot AR.Drone and the SenseFly products, for autonomous hovering and landing.




Figure 6.2 (Left) Autonomous MAV exploration of an unknown, indoor environment using RGB-D sensor (image courtesy of Shen et al. (2012)). (Right) Autonomous MAV exploration of an unknown, indoor environment using a single onboard camera (image courtesy of Faessler et al. (2015b)).

Map-based Navigation

The alternative to reactive navigation is map-based navigation, which proved very successful for ground mobile robots equipped with laser rangefinders (c.f. Thrun et al. (2007)). Breakthrough work on vision-controlled map-based navigation of MAVs was done within the European project SFLY (Scaramuzza et al. (2014)), where visual-SLAM (Simultaneous Localization And Mapping) pipelines (e.g., Chiuso et al. (2002); Davison et al. (2007); Forster et al. (2014b); Klein and Murray (2007)) were used in combination with inertial sensors to enable autonomous basic maneuvers, such as take-off and landing, trajectory following, and surveillance coverage. Building upon that work, several vision-based systems have been proposed using both monocular (c.f., Achtelik et al. (2011); Brockers et al. (2014); Forster et al. (2014b); Weiss et al. (2013)) and stereo-camera configurations (c.f. Achtelik et al. (2009); Fraundorfer et al. (2012); Meier et al. (2012); Schmid et al. (2014); Shen et al. (2013b)).

6.2.3 SFLY: Swarm of Micro Flying Robots

The Swarm of Micro Flying Robots (SFLY) project¹² (Scaramuzza et al. (2014)) was a European-Union-funded project with the goal of creating a swarm of vision-controlled MAVs capable of autonomous navigation, 3D mapping, and optimal surveillance coverage in GPS-denied environments. The SFLY MAVs did not rely on remote control, radio beacons, or motion-capture systems but could fly all by themselves using only a single onboard camera and an IMU.

The first contribution of the SFLY was the development of a new hexacopter equipped with enough processing power for on board computer vision. The hexacopter was designed and manufactured by Ascending Technology and later sold under the name of Firefly, which

¹Project website: www.sfly.org

²YouTube Channel: <https://www.youtube.com/sFlyTeam/videos>




Figure 6.3 Probabilistic depth estimate in SVO. Very little motion is required by the MAV (marked in black at the top) for the uncertainty of the depth-filters (shown as magenta lines) to converge. Image courtesy of (Faessler et al. 2015b).

has become very popular. The second contribution of the SFLY was the development of a local-navigation module based on the Parallel Tracking and Mapping (PTAM) framework by Klein and Murray (2007) that run in real-time on board the MAV (an Intel Core 2 Duo). The output of PTAM was fused with inertial measurements (c.f. Weiss et al. (2012)) and was used to stabilize and control the MAV locally without any link to a ground station. The third contribution was an offline dense-mapping process that merges the individual maps of each MAV into a single, global map that serves as input to the global navigation module (c.f. Forster et al. (2013)). Finally, the fourth contribution was a Cognitive, Adaptive Optimization (CAO) algorithm to compute the positions of the MAVs, which allowed the optimal surveillance coverage of the explored area (c.f. Doitsidis et al. (2012)). Experimental results demonstrating three MAVs navigating autonomously in an unknown GPS-denied environment and performing 3D mapping and optimal surveillance coverage were presented. A detailed description of the SFLY can be found in (Scaramuzza et al. (2014)). Open-source code is publicly available to the robotics community³.

6.2.4 SVO, a visual-odometry algorithm for MAVs

A visual-odometry and mapping algorithm, named SVO, specifically designed for MAV navigation with computationally-limited computers, such as Odroid, was recently proposed by (Forster et al. 2014b). Contrary to state-of-the-art visual-odometry and SLAM algorithms relying on costly feature extraction and matching pipelines (c.f. (Davison et al. 2007; Klein and Murray 2007)), SVO (Semi-direct Visual Odometry) uses a combination of features and direct methods (from which the nickname “semi-direct”) to achieve unprecedented real-time performance (up to 70 fps on Odroid boards and more than 400 fps on an i7 laptop) and high-precision visual odometry (less than 1% drift). The semi-direct approach eliminates the need for costly feature extraction and robust matching techniques for motion estimation. The algorithm operates directly on pixel intensities, which results in subpixel precision at high frame-rates. Precise and high frame-rate motion estimation brings increased robustness in scenes characterized by little, repetitive, and high-frequency textures.

SVO uses a probabilistic mapping method that explicitly models outlier measurements to estimate 3D points; this results in fewer outliers and more reliable points (c.f. Figure 6.3). Image points are triangulated from multiple views using recursive Bayesian estimation. This probabilistic depth estimation allows using every image for incremental depth estimation and provides a depth uncertainty that can be directly used for path planning.

³http://wiki.ros.org/asctec_mav_framework

SVO has been so far used for MAV state-estimation in GPS-denied environments in combination with inertial sensors and runs on the onboard embedded computer. The integration of SVO onboard on an MAV, its fusion with the IMU, and use for closed-loop control and navigation are detailed in ((Faessler et al. 2015b)). Open-source code is publicly available to the robotics community⁴. Instructions on how to integrate the SVO position measurements into the popular PX4 autopilot are provided on the PX4 webpage.⁵

6.3 Applications and Challenges

6.3.1 Applications

Drones have several applications in search-and-rescue, remote inspection, law enforcement, video surveillance, agriculture, aerial photography, photogrammetry, mapping, entertainment, and parcel delivery. However, localization and position tracking is not the sole use of vision sensors. In agriculture, for instance, drones with high-resolution spectral imaging devices are used to gather insight of crops, thus allowing for targeted fertilizing and better use of water and labor. This information can then be used to reduce the need of common fertilizers, which typically pollute local waterways. The main drone-based observation technique is called Normalized Difference Vegetation Index, a measure that assesses the crop productivity, which is calculated on the basis of visible and infrared radiation. When crops are viewed from a standard camera, crops normally look like an indistinct green and brown mass; however, when viewed with an infrared camera many colors suddenly pop out, such as yellow, orange, red, and green; software then stitches together hundreds of images to form a complete picture. In architecture, archeology, geography, and nature conservation, drones are used as mapping tools to get high-resolution 3D models of a construction, building, or terrain. The drones are usually set to take pictures at regular time intervals and a trajectory is planned through GPS. The images must be then downloaded to a laptop PC and powerful photogrammetry software, such as Pix4D or Agisoft, uses state-of-the-art structure-from-motion tools to build dense, photorealistic 3D models with centimeter accuracy. This mapping technology is also used for disaster management to get an overview picture after a flood or an earthquake. Finally, drones are also used as a remote camera in video surveillance and inspection. A live video stream is sent wirelessly from the drone to a tablet screen or video glasses, which are utilized as a feedback to the operator.

In the applications listed above, drones use GPS to navigate autonomously or are remotely operated by an expert pilot. In order to authorize the operation of autonomous drones in different countries in the near future, several challenges need to be overcome in terms of safety and robustness. Furthermore, additional sensors should be used than just cameras and GPS, such as lidars, radars, sonars, thermal cameras, and so on. Redundancy allows coping with sensor failures and operation in harsh conditions, such as night, low-light, smoke, and so on. Since the focus of this book is on computer vision, we will review works dealing with safety and robustness of MAVs using mainly vision sensors.

⁴https://github.com/uzh-rpg/rpg_svo

⁵https://pixhawk.org/dev/ros/visual_estimation

6.3.2 Safety and Robustness

If a quadrotor's vision pipeline fails, there is typically a small set of options left: (i) a pilot must take over; (ii) the quadrotor must land immediately; (iii) the quadrotor must use simple fall-backs for stabilization in order to continue its mission. In the following two sections, the state-of-the-art research on failure recovery and emergency landing is reviewed.

Failure Recovery

In (Shen 2014), a linear sliding window formulation for monocular visual-inertial systems was presented to make a vision-based quadrotor capable of failure recovery and on-the-fly initialization. The approach assumed that visual features could be extracted and correctly tracked right from the beginning of the recovery procedure.

Along with possible failures of their state-estimation pipeline, monocular-vision-based quadrotors present the drawback that they typically require an initialization phase before they can fly autonomously. This initialization phase is usually performed by moving the quadrotor by hand or via remote control. Since this is time consuming and not easy to perform, attempts have been made to perform the initialization automatically. For instance, in ((Broekers et al. 2014; Weiss et al. 2015)), the authors presented a system that allows the user to toss a quadrotor in the air, where it then initializes a visual-odometry pipeline. Nevertheless, that system still required several seconds for the state estimate to converge before the toss and several more seconds until the visual-odometry pipeline was initialized. A closed-form solution for state estimation with a visual-inertial system that does not require initialization was presented in (Martinelli 2012). However, at the current state of the art this approach is not yet suitable for systems that rely on noisy sensor data.

A system enabling a monocular-vision-based quadrotor to autonomously recover from any initial attitude and quickly re-initialize its visual-inertial system was recently proposed by (Faessler et al. 2015a) and demonstrated in a scenario where a quadrotor is thrown in the air (c.f. Figure 6.4). In contrast to (Shen 2014), their system did not require the observation of visual features at the beginning of the recovery procedure but only once its attitude is stabilized, which simplifies feature tracking greatly and reduces computational complexity. In contrast to (Broekers et al. 2014) and (Weiss et al. 2015), no preparation time before launching the quadrotor was required and the entire recovery was performed more quickly.

Emergency Landing

Early works on vision-based autonomous landing for Unmanned Aerial Vehicles (UAV) were based on detecting known planar shapes (e.g., helipads with "H" markings) in images (c.f. (Saripalli et al. 2002)) or on the analysis of textures in single images (c.f. (Garcia-Pardo et al. 2002)). Later works (e.g., (Bosch et al. 2006; Desaraju et al. 2014; Johnson et al. 2005)) assessed the risk of a landing spot by evaluating the roughness and inclination of the surface using 3D terrain reconstruction from images.

One of the first demonstrations of vision based autonomous landing in unknown and hazardous terrain is described in ((Johnson et al. 2005)). Structure-from-motion was used to estimate the relative pose of two monocular images and, subsequently, a dense elevation map was computed by matching and triangulating regularly sampled features. The evaluation of the roughness and slope of the computed terrain map resulted in a binary classification of



Figure 6.4 Autonomous recovery after throwing the quadrotor by hand: (a) the quadrotor detects free fall and (b) starts to control its attitude to be horizontal. Once it is horizontal, (c) it first controls its vertical velocity and then, (d) its vertical position. The quadrotor uses its horizontal motion to initialize its visual-inertial state estimation and uses it (e) to first break its horizontal velocity and then (f) lock to the current position. Image courtesy of (Faessler et al. 2015a).

safe and hazardous landing areas. This approach detected the landing spot solely based on two selected images rather than continuously making depth measurements and fusing them in a local elevation map.


In ((Bosch et al. 2006)), homography estimation was used to compute the motion of the camera as well as to recover planar surfaces in the scene. A probabilistic two-dimensional grid was used as map representation. The grid stored the probability of the cells being flat.

While previously mentioned works were passive in the sense that the exploration flight was pre-programmed by the user, recent work by ((Desaraju et al. 2014)) was done on how to *actively* choose the best trajectory autonomously to explore and verify a safe landing spot. However, due to computational complexity, the full system could not run entirely on-board in real-time. Thus, outdoor experiments were processed on datasets. Additionally, only two frames were used to compute dense motion stereo; hence a criterion, based on the visibility of features and the inter-frame baseline, was needed to select two proper images.


A real-time approach running fully onboard an MAV was recently proposed by (Forster et al. 2015) (c.f. Figure 6.5). The authors proposed to generate a 2D elevation map that is probabilistic, of fixed size, and robot-centric, thus, always covering the area immediately underneath the robot. The elevation map is continuously updated at a rate of 1 Hz with depth maps that are triangulated from multiple views using recursive Bayesian estimation. This probabilistic depth estimation not only allows using every image for incremental depth estimation but also provides a depth uncertainty that can be directly used for planning trajectories minimizing the depth uncertainty as fast as possible, as proposed by (Forster et al. 2014a).

6.4 Conclusions

This chapter gave a description of the challenges of GPS-denied autonomous navigation of drones. Laser-based SLAM can outperform by several orders of magnitude the precision of GPS; however, laser rangefinders consume too much power and are too heavy for lightweight micro drones. The chapter then presented alternative techniques, based on visual odometry and SLAM technologies as a viable replacement of laser-based navigation. However, they require external illumination and sufficient texture in order to work reliably. The optimal sensor suit of a drone should be a combination of GPS, laser, ultrasound, and vision sensors (both standard and infrared) to provide sufficient redundancy and success in different environment conditions. However, robustness to changes in the environment and how to handle system failures still remains an open challenge for both engineers and researchers.




(a)



(b)



(c)



(d)

Figure 6.5 (a) A quadrotor is flying over a destroyed building. (b) The reconstructed elevation map. (c) A quadrotor flying in an indoor environment. (d) The quadrotor executing autonomous landing. The detected landing spot is marked with a green cube. The blue line is the trajectory that the MAV flies to approach the landing spot. Note that the elevation map is local and of fixed size; its center lies always below the quadrotor's current position. Image courtesy of (Forster et al. 2015).

References

- Achtelik M, Bachrach A, He R, Prentice S and Roy N 2009 Stereo vision and laser odometry for autonomous helicopters in GPS-denied indoor environments *SPIE Conference on Unmanned Systems Technology*, Orlando, FL, USA.
- Achtelik M, Weiss S and Siegwart R 2011 Onboard IMU and monocular vision based control for MAVs in unknown in- and outdoor environments *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Achtelik MC, Doth KM, Gurdan D and Stumpf J 2012 Design of a multi rotor MAV with regard to efficiency, dynamics and redundancy *AIAA Guidance, Navigation, and Control Conference*.
- Adniriluka M, Roth S and Schiele B 2008 People-tracking-by-detection and people-detection-by-tracking *Proceedings of the conference on Computer Vision and Pattern Recognition*, Anchorage, AK, USA.
- Agarwala A, Dontcheva M, Agrawala M, Drucker S, Colburn A, Curless B, Salesin D and Cohen M 2004 Interactive digital photomontage *Proceedings of the SIGGRAPH*.
- Ahrens S, Levine D, Andrews G and How J 2009 Vision-based guidance and control of a hovering vehicle in unknown, GPS-denied environments *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Alexa M, Rusinkiewicz S, Alexa M and Adamson A 2004 On normals and projection operators for surfaces defined by point sets *Proceedings of the Eurographics Symposium on Point-Based Graphics*.
- Alon Y, Ferencz A and Shashua A 2006 Off-road path following using region classification and geometric projection constraints *Proceedings of the conference on Computer Vision and Pattern Recognition*, San Francisco, CA.
- Alvarez J, Lopez A and Baldrich R 2007 Shadow resistant road segmentation from a mobile monocular system *Proceedings of the Iberian Conference on Pattern Recognition and Image Analysis*, Girona, Spain.
- Amenta N, Choi S and Kolluri R 2001 The power crust *Proceedings of the ACM Symposium on Solid Modeling and Applications*.
- Amenta N, Choi S, Dey TK and Leekha N 2000 A simple algorithm for homeomorphic surface reconstruction *Proceedings of the Annual Symposium on Computational Geometry*.
- Ancuti C, Ancuti CO, Haber T and Bekaert P 2012 Enhancing underwater images and videos by fusion *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Ancuti CO, Ancuti C, Hermans C and Bekaert P 2011 A fast semi-inverse approach to detect and remove the haze from a single image *Proceedings of the Asian Conference on Computer Vision*.
- Androne L, Bellotti F, Gloria A and Lauletta R 2005 Svm based pedestrian recognition on near infrared images *Proceedings of the International Symposium on Image and Signal Processing and Analysis*, Zagreb, Croatia.
- Angeli A, Doncieux S, Meyer JA and Filliat D 2008a Incremental vision-based topological SLAM *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Angeli A, Doncieux S, Meyer JA and Filliat D 2008b Real-time visual loop-closure detection *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Anuradha and Kaur H 2015 Improved underwater image enhancement using L^*A^*B on CLAHE and gradient based smoothing. *International Journal of Computer Applications* **114**, 45 – 52.
- Arndt R, Schweiger R, Ritter W, Paulus D and Lhlein O 2007 Detection and tracking of multiple pedestrians in automotive applications *Proceedings of the IEEE Intelligent Vehicles Symposium*, Istanbul, Turkey.
- Aulinas J, Lladó X, Salvi J and Petillot YR 2010 Feature based slam using side-scan salient objects *Proceedings of the IEEE/MTS OCEANS Conference*.
- Aykin MD and Negahdaripour S 2013 On feature matching and image registration for two-dimensional forward-scan sonar imaging. *Journal of Field Robotics* **30**, 602–623.
- Bachrach A 2009 *Autonomous flight in unstructured and unknown indoor environments* Master's thesis Massachusetts Institute of Technology.
- Bachrach A, He R and Roy N 2009 Autonomous flight in unstructured and unknown indoor environments *Proceedings of the European Conference on Micro Air Vehicles*.
- Badino H 2004 A robust approach for ego-motion estimation using a mobile stereo platform *Proceedings of the IWCM, Workshop on Complex Motion*, Günzburg, Germany.
- Badino H, Franke U and Pfeiffer D 2009 The stixel world - a compact medium level representation of the 3D-world *Proceedings of the German Conference on Pattern Recognition*, Jena, Germany.
- Badino H, Franke W and Mester R 2007 Free space computation using stochastic occupancy grids and dynamic programming *Proceedings of the International Conference on Computer Vision, Workshop on Dynamical Vision*, Rio de Janeiro, Brazil.
- Barkby S, Williams S, Pizarro O and Jakuba M 2012 Bathymetric particle filter SLAM using trajectory maps. *International Journal of Robotics Research* **31**, 1409–1430.
- Barnes N, Zelinsky A and Fletcher L 2008 Real-time speed sign detection using the radial symmetry detector. *IEEE Transactions on Intelligent Transportation Systems* **9**, 322–332.
- Barth A, Pfeiffer D and Franke U 2009 Vehicle tracking at urban intersections using dense stereo *Proceedings of the BMI, Workshop on Behaviour Monitoring and Interpretation*, Ghent, Belgium.

- Barth A, Siegmund J, Meissner A, Franke U and Förstner W 2010 Probabilistic multi-class scene flow segmentation for traffic scenes *Proceedings of the German Conference on Pattern Recognition*.
- Bay H, Tuytelaars T and Gool LV 2006 SURF: Speeded Up Robust Features *Proceedings of the European Conference on Computer Vision*.
- Beardsley PA, Zisserman A and Murray DW 1994 Navigation using affine structure from motion *Proceedings of the European Conference on Computer Vision*, vol. 801.
- Beaudet PR 1978 Rotationally invariant image operators *Proceedings of the International Conference in Pattern Recognition*, Kyoto, Japan.
- Beijbom O, Edmunds P, Kline D, Mitchell B and Kriegman D 2012 Automated annotation of coral reef survey images *Proceedings of the conference on Computer Vision and Pattern Recognition*, Providence, Rhode Island.
- Beirness D, Simpson H and Pak A 2002 The road safety monitor: Driver distraction. Technical report, Traffic Injury Research Foundation. Ontario, Canada.
- Bellman R 1957 *Dynamic Programming*. Princeton University Press.
- Bender A, Williams S and Pizarro O 2012 Classification with probabilistic targets *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Benenson R, Mathias M, Timofte R and van Gool L 2012 Fast stixel computation for fast pedestrian detection *Proceedings of the European Conference on Computer Vision, Workshop on Computer Vision in Vehicle Technology*, Firenze, Italy.
- Benenson R, Timofte R and van Gool L 2011 Stixels estimation without depth map computation. *Proceedings of the International Conference on Computer Vision, Workshop on Computer Vision in Vehicular Technology*.
- Bergasa L, Nuevo J, Sotelo M and M.Vazquez 2004 Real time system for monitoring driver vigilance *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Bernardini F, Mittleman J, Rushmeier H, Silva C and Taubin G 1999 The ball-pivoting algorithm for surface reconstruction. *IEEE Transactions on Visualization and Computer Graphics* **5**, 349–359.
- Bertozzi M, Broggi A, Chapuis R, Chausse F, Fascioli A and Tibaldi A 2003 Shape-based pedestrian detection and localization *Proceedings of the IEEE International Conference on Intelligent Transportation Systems*, Shanghai, China.
- Biber P and Straßer W 2003 The normal distributions transform: A new approach to laser scan matching *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Bills C, Chen J and Saxena A 2011a Autonomous mav flight in indoor environments using single image perspective cues *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Bills C, Chen J and Saxena A 2011b Autonomous MAV flight in indoor environments using single image perspective cues *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Bingham B, Foley B, Singh H, Camilli R, Delaporta K, Eustice R, Mallios A, Mindell D, Roman CN and Sakellariou D 2010 Robotic tools for deep water archaeology: Surveying an ancient shipwreck with an autonomous underwater vehicle. *Journal of Field Robotics* **27**, 702–717.
- Bleyer M and Chambon S 2010 Does color really help in dense stereo matching *3DPVT*, Paris, France.
- Bloesch M, Weiss S, Scaramuzza D and Siegwart R 2010 Vision based mav navigation in unknown and unstructured environments *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Blu 2015a. Retrieved February 26, 2015, from www.blueview.com.
- Blu 2015b. Retrieved February 26, 2015, from www.bluefinrobotics.com.
- Bohren CF and Clothiaux EE 2006 *Fundamentals of atmospheric radiation: An introduction with 400 problems*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Boissonnat JD and Oudot S 2005 Provably good sampling and meshing of surfaces. *Graphical Models* **67**, 405–451.
- Bosch S, Lacroix S and Caballero F 2006 Autonomous detection of safe landing areas for an uav from monocular images *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Botsch M, Kobbelt L, Pauly M, Alliez P and Lévy B 2010 *Polygon Mesh Processing*. AK Peters / CRC Press.
- Bouabdallah S, Murrieri P and Siegwart R 2004 Design and control of an indoor micro quadrotor *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Bowling M, Wilkinson D, Ghodsi A and Milstein A 2005 Subjective localization with action respecting embedding *Proceedings of the International Symposium of Robotics Research*.
- Boykov Y, Veksler O and Zabih R 1999 Fast approximate energy minimization via graph cuts *Proceedings of the International Conference on Computer Vision*, Kerkyra, Corfu, Greece.
- Briassouli A and Kompatsiaris I 2010 Change detection for temporal texture in the fourier domain *Proceedings of the Asian Conference on Computer Vision*.
- Bristeau PJ, Callou F, Vissire D and Petit N 2011 The navigation and control technology inside the ar.drone micro UAV *IFAC Proceedings Volumes (IFAC-PapersOnline)*, vol. 18, pp. 1477–1484.
- Brockers R, Hummenberger M, Weiss S and Matthies L 2014 Towards autonomous navigation of miniature UAV *Proceedings of the conference on Computer Vision and Pattern Recognition Workshops*.
- Broggi A, Bertozzi M, Fascioli A and Sechi M 2000 Shape-based pedestrian detection *Proceedings of the IEEE Intelligent Vehicles Symposium*, Dearborn, MI, USA.

- Broggi A, Cerri P, Medici P, Porta P and Ghisio G 2007 Real time road signs recognition *Proceedings of the IEEE Intelligent Vehicles Symposium*, Istanbul, Turkey.
- Brown M, Hartley R and Nister D 2007 Minimal solutions for panoramic stitching *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Brox T, Bruhn A, Papenberg N and Weickert J 2004 High accuracy optical flow estimation based on a theory for warping *Proceedings of the European Conference on Computer Vision*.
- Bryson M, Johnson-Roberson M, Pizarro O and Williams S 2012 Colour-consistent structure-from-motion models using underwater imagery *Robotics: Science and Systems*.
- Caballero F, Merino L, Ferruz J and Ollero A 2007 Homography based Kalman filter for mosaic building. applications to UAV position estimation *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Caimi F, Kocak D, Dalgleish F and Watson J 2008 Underwater imaging and optics: Recent advances *Proceedings of the IEEE/MTS OCEANS Conference*.
- Campos R, Garcia R, Alliez P and Yvinec M 2013a Splat-based surface reconstruction from defect-laden point sets. *Graphical Models* **75**, 346 – 361.
- Campos R, Garcia R, Alliez P and Yvinec M 2015 A surface reconstruction method for in-detail underwater 3D optical mapping. *International Journal of Robotics Research* **34**, 64–89.
- Campos R, Gracias N, Prados R and Garcia R 2013b Merging bathymetric and optical cues for in-detail inspection of an underwater shipwreck. *Instrumentation Viewpoint* pp. 67–68.
- Can A, Stewart C, Roysam B and Tanenbaum H 2002 A feature-based technique for joint, linear estimation of high-order image-to-mosaic transformations: mosaicing the curved human retina. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **24**, 412 –419.
- Capel DP 2001 *Image Mosaicing and Super-resolution* PhD thesis University of Oxford Oxford, UK.
- Capel DP 2004 *Image Mosaicing and Super-resolution*. Springer Verlag.
- Carlevaris-Bianco N, Mohan A and Eustice RM 2010 Initial results in underwater single image dehazing *Proceedings of the IEEE/MTS OCEANS Conference*.
- Carr JC, Beaton RK, Cherrie JB, Mitchell TJ, Fright WR, McCallum BC and Evans TR 2001 Reconstruction and representation of 3D objects with radial basis functions *Proceedings of the Annual Conference on Computer Graphics and Interactive Techniques*.
- Chena Z, Lowrya S, Jacobsona A, Hasselmeoc ME and Milford M 2015 Bio-inspired homogeneous multi-scale place recognition. *Neural Networks* **38**, 142–158.
- Chiang JY and Chen YC 2012 Underwater image enhancement by wavelength compensation and dehazing. *IEEE Transactions on Image Processing* **21**, 1756 – 1769.
- Chiuso A, Favaro P, Jin H and Soatto S 2002 Structure from motion causally integrated over time. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **24**, 523–535.
- Choi K, Park S, Kim S, Lee K, Park J and Cho S 2010 Methods to detect road features for video-based in-vehicle navigation systems. *Journal of Intelligent Transportation Systems: Technology Planning Operations* **14**, 13–26.
- CIPA 2009 Camera & imaging products association 2009 multi-picture format, dc-007-2009.
- Cohen-Steiner D and Da F 2004 A greedy Delaunay-based surface reconstruction algorithm. *The Visual Computer* **20**, 4–16.
- Cordts M, Omran M, Ramos S, Scharwächter T, Enzweiler M, Benenson R, Franke U, Roth S and Schiele B 2015 The cityscapes dataset *Proceedings of the conference on Computer Vision and Pattern Recognition, Workshop on The Future of Datasets in Vision*.
- Cortes C and Vapnik V 1995 Support-vector networks. *Machine Learning* **20**, 273–297.
- Crisman J and Orpe CT 1993 Scarf: a colour vision system that tracks roads and intersections. *IEEE Transactions on Robotics and Automation* **9**, 49–58.
- Crowley J and Sanderson A 1987 Multiple resolution representation and probabilistic matching of 2-d gray-scale shape. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **9**, 113 – 121.
- Csurka G, Dance C, Fan L, Willamowski J and Bray C 2004 Visual categorization with bags of keypoints. *Proceedings of the European Conference on Computer Vision, Workshop on statistical learning in computer vision* **1**, 22.
- Cummins M and Newman P 2007 Probabilistic appearance based navigation and loop closing *Proceedings of the IEEE International Conference on Robotics and Automation*, Rome, Italy.
- Cummins M and Newman P 2008 FAB-MAP: Probabilistic localization and mapping in the space of appearance. *International Journal of Robotics Research* **27**, 647–665.
- Cummins M and Newman P 2009 Highly scalable appearance-only SLAM FAB-MAP 2.0 *Robotics: Science and Systems*.
- Curless B and Levoy M 1996 A volumetric method for building complex models from range images *Proceedings of the Annual Conference on Computer Graphics and Interactive Techniques*.
- Dalal N and Triggs B 2005 Histograms of oriented gradients for human detection *Proceedings of the conference on Computer Vision and Pattern Recognition*, San Diego, CA, USA.

- Danescu R and Nedeveschi S 2009 Probabilistic lane tracking in difficult road scenarios using stereovision. *IEEE Transactions on Intelligent Transportation Systems* **10**, 272–282.
- Danescu R and Nedeveschi S 2011 New results in stereovision based lane tracking *Proceedings of the IEEE Intelligent Vehicles Symposium*, Baden-Baden, Germany.
- Dang T, Desens J, Franke U, Gavrilu D, Schfers L and Ziegler W 2004 Steering and evasion assist In *Handbook of Intelligent Vehicles* (ed. Eskandarian A) SPRINGER London.
- Dang T, Hoffmann C and Stiller C 2009 Continuous stereo self-calibration by camera parameter tracking. *IEEE Transactions on Image Processing* **18**, 1536–1550.
- Davis J 1998 Mosaics of scenes with moving objects *Proceedings of the conference on Computer Vision and Pattern Recognition*, Santa Barbara, CA, USA.
- Davison A, Reid I, Molton N and Stasse O 2007 MonoSLAM: Real-time single camera SLAM. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **29**, 1052–1067.
- Delaunoy O, Gracias N and Garcia R 2008 Towards detecting changes in underwater image sequences *Proceedings of the IEEE/MTS OCEANS Conference*.
- DePiero FW and Trivedi MM 1996 3D computer vision using structured light: Design, calibration and implementation issues. *Advances in Computers*.
- Desaraju V, Michael N, Humenberger M, Brockers R, Weiss S and Matthies L 2014 Vision-based landing site evaluation and trajectory generation toward rooftop landing *Robotics: Science and Systems*.
- Diaz J and Torres R 2006 Classification of underwater color images with applications in the study of deep coral reefs *Proceedings of the International Midwest Symposium on Circuits and Systems*.
- Dickmanns E 1988 An integrated approach to feature based dynamic vision *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Dickmanns E 2007 *Dynamic Vision for Perception and Control of Motion*. SPRINGER.
- Digne J, Morel JM, Souzani CM and Lartigue C 2011 Scale space meshing of raw data point sets. *Computer Graphics Forum (Proceedings of the Symposium on Geometry Processing)* **30**, 1630–1642.
- Dinges D and Grace R 1998 PERCLOS: A valid psychophysiological measure of alertness as assessed by psychomotor vigilance. Technical report, Federal Highway Administration.
- Doitsidis L, Weiss S, Renzaglia A, Achteik MW, Kosmatopoulos E, Siegwart R and Scaramuzza D 2012 Optimal surveillance coverage for teams of micro aerial vehicles in gps-denied environments using onboard vision. *Autonomous Robots* **33**, 173–188.
- Dollár P, Tu Z, Perona P and Belongie S 2009 Integral channel features *Proceedings of the British Machine Vision Conference*, London, UK.
- Dollár P, Wojek C, Schiele B and Perona P 2012 Pedestrian detection: An evaluation of the state of the art. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **34**, 743–761.
- Dosovitskiy A, Fischer P, Ilg E, Hausser P, Hazrbas C, Golkov V, Smagt P, Cremers D and Brox T 2015 FlowNet: Learning optical flow with convolutional networks *Proceedings of the International Conference on Computer Vision*.
- Drap P, Scaradozzi D, Gambogi P and Gauch F 2008 Underwater photogrammetry for archaeology—the venus project framework *Proceedings of the International Conference on Computer Graphics Theory and Applications*.
- Eberli D, Scaramuzza D, Weiss S and Siegwart R 2011 Vision based position control for mavs using one single circular landmark. *Journal of Intelligent Robotic Systems* **61**, 495–512.
- Efros A and Freeman W 2001 Image quilting for texture synthesis and transfer *Proceedings of the Conference on Computer Graphics and Interactive Techniques*.
- Elibol A, Garcia R and Gracias N 2011a A new global alignment approach for underwater optical mapping. *Ocean Engineering* **38**, 1207–1219.
- Elibol A, Garcia R, Delaunoy O and Gracias N 2008 A new global alignment method for feature based image mosaicing *Proceedings of the International Symposium on Advances in Visual Computing*, Las Vegas, NV, USA.
- Elibol A, Gracias N and Garcia R 2010 Augmented state–extended Kalman filter combined framework for topology estimation in large-area underwater mapping. *Journal of Field Robotics* **27**, 656–674.
- Elibol A, Gracias N and Garcia R 2013 Fast topology estimation for image mosaicing using adaptive information thresholding. *Robotics and Autonomous Systems* **61**, 125–136.
- Elibol A, Gracias N, Garcia R, Gleason A, Gintert B, Lirman D and Reid PR 2011b Efficient autonomous image mosaicing with applications to coral reef monitoring *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems, Workshop on Robotics for Environmental Monitoring*.
- Engel J, Sturm J and Cremers D 2014 Scale-aware navigation of a low-cost quadcopter with a monocular camera. *Robotics and Autonomous Systems* **62**, 1646–1656.
- Enzweiler et al. M 2010 Multi-Cue pedestrian classification with partial occlusion handling. *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Enzweiler et al. M 2013 Towards multi-cue urban curb recognition. *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Enzweiler M and Gavrilu D 2009 Monocular pedestrian detection: Survey and experiments. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **31**, 2179–2195.

- Enzweiler M and Gavrilu DM 2011 A multi-level Mixture-of-Experts framework for pedestrian classification. *IEEE Transactions on Image Processing* **20**, 2967–2979.
- Enzweiler M, Hummel M, Pfeiffer D and Franke U 2012 Efficient stixel-based object recognition. *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Erbs F and Franke U 2012 Stixmentation - probabilistic stixel based traffic scene labeling *Proceedings of the British Machine Vision Conference*, Guildford, UK.
- Escartin J, Garcia R, Delaunoy O, Ferrer J, Gracias N, Elibol A, Cufi X, Neumann L, Fornari D and Humphris S 2009 Globally-aligned photo mosaic of the lucky strike hydrothermal vent field (mid-atlantic ridge, 37 18.5N): Release of georeferenced data and interactive viewer software. *Geochemistry, Geophysics, Geosystems*.
- EURO NCAP 2014 Advanced safety systems award. Technical report.
- European Road Safety Observatory 2010 Annual statistical report. Technical report.
- Eustice R, Pizarro O and Singh H 2004 Visually augmented navigation in an unstructured environment using a delayed state history *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Eustice R, Singh H, Leonard J and Walter M 2006a Visually mapping the RMS Titanic: Conservative covariance estimates for SLAM information filters. *International Journal of Robotics Research* **25**, 1223–1242.
- Eustice R, Singh H, Leonard J, Walter M and Ballard R 2005 Visually navigating the RMS Titanic with SLAM information filters *Robotics: Science and Systems*.
- Eustice RM 2005 *Large-Area Visually Augmented Navigation for Autonomous Underwater Vehicles* PhD thesis Massachusetts Institute of Technology and Woods Hole Oceanographic Institution.
- Eustice RM, Singh H and Leonard JJ 2006b Exactly sparse delayed-state filters for view-based SLAM. *IEEE Transactions on Robotics* **22**, 1100–1114.
- Faessler M, Fontana F, Forster C and Scaramuzza D 2015a Automatic re-initialization and failure recovery for aggressive flight with a monocular vision-based quadrotor *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Faessler M, Fontana F, Forster C, Mueggler E, Pizzoli M and Scaramuzza D 2015b Autonomous, vision-based flight and live dense 3D mapping with a quadrotor MAV. *Journal of Field Robotics*.
- Fairfield N, Jonak D, Kantor GA and Wettergreen D 2007 Field results of the control, navigation, and mapping systems of a hovering AUV *Proceedings of the International Symposium on Unmanned Untethered Submersible Technology*, Durham, NH, USA.
- Fattal R 2008 Single image dehazing *ACM Transactions on Graphics*, vol. 27, pp. 1 – 8.
- Felzenszwalb P, McAllester D and Ramanan D 2008 A discriminatively trained, multiscale, deformable part model *Proceedings of the conference on Computer Vision and Pattern Recognition*, Anchorage, AK, USA.
- Ferrer J and Garcia R 2010 Bias reduction for stereo triangulation. *Electronic Letters* **46**, 1665–1666.
- Ferrer J, Elibol A, Delaunoy O, Gracias N and Garcia R 2007 Large-area photo-mosaics using global alignment and navigation data *Proceedings of the IEEE/MTS OCEANS Conference*, Vancouver, Canada.
- Filippo FD, Gracias N, Garcia R, Ferrer J and Bruno F 2013 Incremental underwater mapping in 6dof with stereo tracking. *Electronic Letters* pp. 20–21.
- Filliat D 2007 A visual bag of words method for interactive qualitative localization and mapping *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Fischler M and Bolles R 1981 Random sample consensus: a paradigm for model fitting with applications to image analysis and automated cartography. *Communications of the ACM* **24**, 381–395.
- Fitzgibbon AW and Zisserman A 1998 Automatic camera recovery for closed or open image sequences *Proceedings of the European Conference on Computer Vision*.
- Fleischer S 2000a *Bounded-error vision-based navigation of autonomous underwater vehicles* PhD thesis Stanford University.
- Fleischer SD 2000b *Bounded-Error Vision-Based Navigation of Autonomous Underwater Vehicles* PhD thesis Department of Aeronautics and Astronautics, Stanford University.
- Flohr F, Dumitru-Guzu M, Kooij JFP and Gavrilu DM 2014 Joint probabilistic pedestrian head and body orientation estimation *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Floreano D, Zufferey J, Srinivasan M and C. E 2009 *Flying Insects and Robots*. Springer.
- Floros G and Leibe B 2012 Joint 2D-3D temporally consistent semantic segmentation of street scenes *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Forster C, Fässler M, Fontana F, Werlberger M and Scaramuzza D 2015 Continuous on-board monocular-vision-based aerial elevation mapping for quadrotor landing *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Forster C, Lynen S, Kneip L and Scaramuzza D 2013 Collaborative monocular SLAM with multiple micro aerial vehicles *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Forster C, Pizzoli M and Scaramuzza D 2014a Appearance-based active, monocular, dense depth estimation for micro aerial vehicles *Robotics: Science and Systems*.
- Forster C, Pizzoli M and Scaramuzza D 2014b SVO: Fast semi-direct monocular visual odometry *Proceedings of the IEEE International Conference on Robotics and Automation*.

- Fournier G, Bonnier D, Forand JL and Pace P 1993 Range-gated underwater laser imaging system. *Optical Engineering* **32**, 2185–2190.
- Fournier G, Bonnier D, Forand JL and Pace P 1995 Short-pulse range-gated optical imaging in turbid water. *Applied Optics* **34**, 4343–4351.
- Francisco J, Raul E and Luis O 2003 Hough transform for robust segmentation of underwater multispectral images *Proceedings of the conference on Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery*.
- Franke et al. U 1995 Autonomous driving goes downtown. *IEEE Intelligent Systems* **13**, 40–48.
- Franke U and Joos A 2000 Real-time stereo vision for urban traffic scene understanding *Proceedings of the IEEE Intelligent Vehicles Symposium*, Dearborn, MI, USA.
- Franke U, Rabe C, Badino H and Gehrig S 2005 6d-vision: Fusion of stereo and motion for robust environment perception *Proceedings of the German Conference on Pattern Recognition*, Vienna, Austria.
- Fraundorfer F, Heng L, Honegger D, Lee GH, Meier L, Tanskanen P and Pollefeys M 2012 Vision-based autonomous mapping and exploration using a quadrotor mav *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Friedman A, Pizarro O, Williams S and Johnson-Roberson M 2012 Multi-scale measures of rugosity, slope and aspect from benthic stereo image reconstructions. *PLoS ONE* **7**, e50440.
- Furgale et al. P 2013 Toward automated driving in cities using close-to-market sensors, an overview of the v-charge project *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Furukawa Y and Ponce J 2010 Accurate, dense, and robust multiview stereopsis. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **32**, 1362–1376.
- Gal R, Wexler Y, Ofek E, Hoppe H and Cohen-Or D 2010 Seamless montage for texturing models. *Computer Graphics Forum (Proceedings of the Symposium on Geometry Processing)* **29**, 479–486.
- Galvez-Lopez D and Tardos J 2011 Real-time loop detection with bags of binary words *Intelligent Robots and Systems*, pp. 51–58.
- Gao X, Podladchikova L, Shaposhnikov D, Hong K and Shevtsova N 2006 Recognition of traffic signs based on their colour and shape features extracted using human vision models. *Journal of Visual Communication and Image Representation* **17**, 675–685.
- Garcia-Garrido MA, Ocana M, Llorca DF, Sotelo MA, Arroyo E and Llamazares A 2011 Robust traffic signs detection by means of vision and v2i communications *Proceedings of the IEEE International Conference on Intelligent Transportation Systems*, Washington DC, USA.
- Garcia-Pardo PJ, Sukhatme GS and Montgomery JF 2002 Towards vision-based safe landing for an autonomous helicopter. *Robotics and Autonomous Systems* **38**, 19–29.
- Garcia R and Gracias N 2011 Detection of interest points in turbid underwater images *Proceedings of the IEEE/MTS OCEANS Conference*, pp. 1–9.
- Garcia R, Campos R and Escartín J 2011 High-resolution 3D reconstruction of the seafloor for environmental monitoring and modelling *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems, Workshop on Robotics for Environmental Monitoring*, San Francisco, CA, USA.
- Garcia R, Cufí X and Batlle J 2001 Detection of matchings in a sequence of underwater images through texture analysis *Proceedings of the IEEE International Conference on Image Processing*.
- Garcia R, Cufí X and Ila V 2003a Recovering camera motion in a sequence of underwater images through mosaicking *Proceedings of the Iberian Conference on Pattern Recognition and Image Analysis*.
- Garcia R, Cufí X, Prados R, Elibol A, Ferrer J, Villanueva M and Nicosevici T 2005 Georeferenced photo-mosaicing of the seafloor. *Instrumentation ViewPoint Journal* **4**, 45–46.
- Garcia R, Nicosevici T, Ridao P and Ribas D 2003b Towards a real-time vision-based navigation system for a small-class UUV *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*, Las Vegas, USA.
- Garcia R, Puig J, Ridao P and Cufí X 2002 Augmented state Kalman filtering for AUV navigation *Proceedings of the IEEE International Conference on Robotics and Automation*, Washington D.C.
- Gavrila D 2001 Sensor-based pedestrian protection. *IEEE Intelligent Systems* **16**, 77–81.
- Gavrila D, Giebel J and Munder S 2004 Vision-based pedestrian detection: The PROTECTOR system *Proceedings of the IEEE Intelligent Vehicles Symposium*, Parma, Italy.
- Ge J, Luo Y and Tei G 2009 Real-time pedestrian detection and tracking at nighttime for driver assistance systems. *IEEE Transactions on Intelligent Transportation Systems* **10**, 283–298.
- Gehrig S, Eberli F and Meyer T 2009 A real-time low-power stereo vision engine using semi-global matching *Proceedings of the International Conference on Computer Vision Systems*.
- Gehrig S, Reznitskii M, Schneider N, Franke U and Weickert J 2013 Priors for stereo vision under adverse weather conditions *Proceedings of the International Conference on Computer Vision*, Sydney, Australia.
- Gehrig S, Schneider N and Franke U 2014 Exploiting traffic scene disparity statistics for stereo vision *Proceedings of the conference on Computer Vision and Pattern Recognition, Workshop on Embedded Computer Vision*.
- Geiger A n.d. www.cvlibs.net/datasets/kitti/.

- Geiger A, Lenz P and Urtasun R 2012 Are we ready for autonomous driving? the KITTI vision benchmark suite *Proceedings of the conference on Computer Vision and Pattern Recognition*, Providence, RI, USA.
- Geng H, Chien J, Nicolescu R and Klette R 2015 Egomotion estimation and reconstruction with Kalman filters and gps integration *Proceedings of the conference on Computer Analysis of Images and Patterns*.
- Gerónimo D and López A 2014 *Vision-based Pedestrian Protection Systems for Intelligent Vehicles*. SpringerBriefs in Computer Science.
- Gerónimo D, López A, Sappa A and Graf T 2010 Survey of pedestrian detection for advanced driver assistance systems. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **32**, 1239–1258.
- Giraudot S, Cohen-Steiner D and Alliez P 2013 Noise-adaptive shape reconstruction from raw point sets. *Computer Graphics Forum (Proceedings of the Symposium on Geometry Processing)* **32**, 229–238.
- Girshick R, Donahue J, Darrell T and Malik J 2016 Region-based convolutional networks for accurate object detection and segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **72**, 4861.
- Gleason A, Lirman D, Williams D, Gracias N, Gintert B, Madjidi H, Reid R, Boynton G, Negahdaripour S, Miller M and Kramer P 2007a Documenting hurricane impacts on coral reefs using two-dimensional video-mosaic technology. *Marine Ecology* **28**, 254–258.
- Gleason A, Reid R and Voss K 2007b Automated classification of underwater multispectral imagery for coral reef monitoring *Proceedings of the IEEE/MTS OCEANS Conference*.
- Glover A, Maddern W, Milford M and Wyeth G 2011 FAB-MAP + RatSLAM: Appearance-based slam for multiple times of day *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Goedeme T, Tuytelaars T and Gool LV 2006 Visual topological map building in self-similar environments *International Conference on Informatics in Control, Automation and Robotics*.
- Golz M, Sommer D, Trutschel U, Sirois B and Edwards D 2010 Evaluation of fatigue monitoring technologies. *Somnologie* **14**, 187–199.
- Gracias N 2002 *Mosaic-based Visual Navigation for Autonomous Underwater Vehicles* PhD thesis Instituto Superior Técnico, Universidade Técnica de Lisboa Lisbon, Portugal.
- Gracias N and Santos-Victor J 2000 Underwater video mosaics as visual navigation maps. *Computer Vision and Image Understanding* **79**, 66–91.
- Gracias N, Costeira J and Santos-Victor J 2004 Linear global mosaics for underwater surveying *Proceedings of the IFAC/EURON Symposium on Autonomous Vehicles*, Lisbon, Portugal.
- Gracias N, Negahdaripour S, Neumann L, Prados R and Garcia R 2008 A motion compensated filtering approach to remove sunlight flicker in shallow water images *Proceedings of the IEEE/MTS OCEANS Conference*, Quebec City, Canada.
- Gracias N, Zwaan S, Bernardino A and Santos-Victor J 2003 Mosaic based navigation for autonomous underwater vehicles. *Journal of Oceanic Engineering* **28**, 609–624.
- Grubb G, Zelinsky A, Nilsson L and Rilbe M 2004 3D vision sensing for improved pedestrian safety *Proceedings of the IEEE Intelligent Vehicles Symposium*, Parma, Italy.
- Grzonka S, Grisetti G and Burgard W 2012 A fully autonomous indoor quadrator. *IEEE Transactions on Robotics* **28**, 90–100.
- Guennebaud G and Gross M 2007 Algebraic point set surfaces. *ACM Transactions on Graphics* **26**, 23.1–23.9.
- Haeusler R and Klette R 2010 Benchmarking stereo data (not the matching algorithms *Proceedings of the German Conference on Pattern Recognition*.
- Haeusler R and Klette R 2012 Analysis of KITTI data for stereo analysis with stereo confidence measures *Proceedings of the European Conference on Computer Vision, Workshops and Demonstrations*.
- Haralick R, Shanmugam K and Dinstein I 1973 Textural features for image classification. *IEEE Transactions on Systems, Man, and Cybernetics* **SMC-3**, 610–621.
- Hariharan B, Arbelaez P, Girshick R and Malik J 2015 Hypercolumns for object segmentation and fine-grained localization *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Harris C and Stephens M 1988 A combined corner and edge detector *Proceedings of the Alvey Vision Conference*, Manchester, UK.
- Hartley R and Zisserman A 2003 *Multiple view geometry in computer vision, 2nd edition*. Cambridge University Press.
- He K, Su J and Tang X 2010 Guided image filtering *Proceedings of the European Conference on Computer Vision*.
- He K, Sun J and Tang X 2009 Single image haze removal using dark channel prior *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Heng L, Honegger D, Lee GH, Meier L, Tanskanen P, Fraundorfer F and Pollefeys M 2014 Autonomous visual mapping and exploration with a micro aerial vehicle. *Journal of Field Robotics* **31**, 654–675.
- Herisse B, Russotto FX, Hamel T and Mahony R 2008 Hovering flight and vertical landing control of a vtol unmanned aerial vehicle using optical flow *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Hermann S and Klette R 2009 The naked truth about cost functions for stereo matching. Technical Report MItech-TR-33, Multimedia Imaging, Auckland.

- Hermann S and Klette R 2012 Iterative semi-global matching for robust driver assistance systems *Proceedings of the Asian Conference on Computer Vision*.
- Hermann S and Werner R 2013 High accuracy optical flow for 3D medical image registration using the census cost function *Proceedings of the Pacific Rim Symposium on Image and Video Technology*.
- Hermann S, Boerner A and Klette R 2011 Mid-level segmentation and segment tracking for long-range stereo analysis *Proceedings of the Pacific Rim Symposium on Image and Video Technology*.
- Heskes T 1999 Energy functions for self-organizing maps In *Kohonen Maps* (ed. Oja E and Kaski S) Elsevier Science Inc. Amsterdam pp. 303–315.
- Hillel AB, Lerner R, Levi D and Raz G 2014 Recent progress in road and lane detection: a survey. *Machine Vision and Applications* **25**, 727–745.
- Hirschmüller H 2005 Accurate and efficient stereo processing by semi-global matching and mutual information *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Hirschmüller H and Scharstein D 2009 Evaluation of stereo matching costs on images with radiometric differences. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **31**, 1582–1599.
- Hitam MS and Awalludin EA 2013 Mixture contrast limited adaptive histogram equalization for underwater image enhancement *Proceedings of the International Conference on Computer Applications Technology*.
- Honegger D, Meier L, Tanskanen P and Pollefeys M 2013 An open source and open hardware embedded metric optical flow CMOS camera for indoor and outdoor applications *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Hoppe H, DeRose T, Duchamp T, McDonald J and Stuetzle W 1992 Surface reconstruction from unorganized points. *SIGGRAPH Computer Graphics* **26**, 71–78.
- Horn B 1986 *Robot Vision*. MIT Press.
- Horn B and Schunck B 1981 Determining optic flow. *Artificial Intelligence* **17**, 185–203.
- Hornung A and Kobbelt L 2006 Robust reconstruction of watertight 3D models from non-uniformly sampled point clouds without normal information *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing*, Cagliari, Sardinia, Italy.
- Hrabar S and Sukhatme G 2009 Vision-based navigation through urban canyons. *Journal of Field Robotics* **26**, 431–452.
- Hrabar S, Sukhatme GS, Corke P, Usher K and Roberts J 2005 Combined optic-flow and stereo-based navigation of urban canyons for a uav *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Huang A, Moore D, Antone M, Olson E and Teller S 2009 Finding multiple lanes in urban road networks with vision and lidar. *Autonomous Robots* **26**, 103–122.
- Huang JF, Lai SH and Cheng CM 2007 Robust fundamental matrix estimation with accurate outlier detection. *Journal of Information Science and Engineering* **23**, 1213–1225.
- Hurtós N, Cufí X and Salvi J 2013a A novel blending technique for two dimensional forward looking sonar mosaicking *Proceedings of the IEEE/MTS OCEANS Conference*, San Diego, California.
- Hurtós N, Nagappa S, Cufí X, Petillot Y and Salvi J 2013b Evaluation of registration methods on two-dimensional forward-looking sonar imagery *Proceedings of the IEEE/MTS OCEANS Conference*, Bergen, Norway.
- Hurtós N, Nagappa S, Palomeras N and Salvi J 2014a Real-time mosaicking with two-dimensional forward-looking sonar *Proceedings of the IEEE International Conference on Robotics and Automation*, Hong-Kong.
- Hurtós N, Ribas D, Cufí X, Petillot Y and Salvi J 2014b Fourier-based registration for robust forward-looking sonar mosaicking in low-visibility underwater environments. *Journal of Field Robotics*.
- Huval B, Wang T, Tandon S, Kiske J, Song W, Pazhayampallil J, Andriluka M, Rajpurkar P, Migimatsu T, Cheng-Yue R, Mujica F, Coates A and Ng AY 2015 An empirical evaluation of deep learning on highway driving *arXiv:1504.01716*.
- Ila V, Andrade-Cetto J, Valencia R and Sanfeliu A 2007 Vision-based loop closing for delayed state robot mapping *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Jaffe JS, Moore KD, McLean J and Strand MP 2002 Underwater optical imaging: Status and prospects. *Oceanography* **14**, 66–76.
- Jerosch K, Lüdtke A, Schlüter M and Ioannidis GT 2007 Automatic content-based analysis of georeferenced image data: Detection of beggiatoa mats in seafloor video mosaics from the hakon mosbymud volcano. *Computers and Geotechnics* **33**, 202–218.
- Ji Q and Yang X 2002 Real-time eye, gaze, and face pose tracking for monitoring driver vigilance. *Real-Time Imaging* **8**, 357–377.
- Jiménez P, Bergasa L, Nuevo J and Alcantarilla P 2012a Face pose estimation with automatic 3D model creation in challenging scenarios. *Image and Vision Computing* **30**, 589–602.
- Jiménez P, Bergasa L, Nuevo J, Hernández N and Daza I 2012b Gaze fixation system for the evaluation of driver distractions induced by ivis. *IEEE Transactions on Intelligent Transportation Systems* **13**, 1167–1178.
- Jiménez P, Nuevo J, Bergasa L and Sotelo M 2009 Face tracking and pose estimation with automatic three-dimensional model construction. *IET Computer Vision* **3**, 93–102.

- Johannsson H, Kaess M, Englot B, Hover F and Leonard J 2010 Imaging sonar-aided navigation for autonomous underwater harbor surveillance *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Johnson A, Montgomery J and Matthies L 2005 Vision guided landing of an autonomous helicopter in hazardous terrain *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Johnson-Roberson M, Kumar S and Willams S 2006a Segmentation and classification of coral for oceanographic surveys: A semi-supervised machine learning approach *Proceedings of the IEEE/MTS OCEANS Conference*.
- Johnson-Roberson M, Kumar S, Pizarro O and Willams S 2006b Stereoscopic imaging for coral segmentation and classification *Proceedings of the IEEE/MTS OCEANS Conference*.
- Johnson-Roberson M, Pizarro O and Willams S 2009 Towards large scale optical and acoustic sensor integration for visualization *Proceedings of the IEEE/MTS OCEANS Conference*.
- Johnson-Roberson M, Pizarro O, Williams SB and Mahon I 2010 Generation and visualization of large-scale three-dimensional reconstructions from underwater robotic surveys. *Journal of Field Robotics* **27**, 21–51.
- Jung I and Lacroix S 2003 Simultaneous localization and mapping with stereovision *Proceedings of the International Symposium of Robotics Research*.
- Kaess M, Johannsson H, Roberts R, Ila V, Leonard JJ and Dellaert F 2012 iSAM2: Incremental smoothing and mapping using the bayes tree. *International Journal of Robotics Research* **31**, 216–235.
- Kang E, Cohen I and Medioni G 2000 A graph-based global registration for 2D mosaics *Proceedings of the International Conference in Pattern Recognition*, Barcelona, Spain.
- Kazhdan M and Hoppe H 2013 Screened poisson surface reconstruction. *ACM Transactions on Graphics* **32**, 29:1–29:13.
- Kazhdan M, Bolitho M and Hoppe H 2006 Poisson surface reconstruction *Eurographics/ACM SIGGRAPH symposium on Geometry processing*, Cagliari, Sardinia, Italy.
- Keller C and Gavrilu D 2014 Will the pedestrian cross? a study on pedestrian path prediction. *IEEE Transactions on Intelligent Transportation Systems* **15**, 494–506.
- Keller et al. C 2011 The benefits of dense stereo for pedestrian recognition. *IEEE Transactions on Intelligent Transportation Systems* **12**, 1096–1106.
- Khan W, Suaste V, Caudillo D and Klette R 2013 Belief propagation stereo matching compared to iSGM on binocular or trinocular video data *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Kim K, Neretti N and Intrator N 2005 Mosaicing of acoustic camera images. *IEE Proceedings Radar, Sonar and Navigation* **152**, 263–270.
- Kim K, Neretti N and Intrator N 2006 Video enhancement for underwater exploration using forward looking sonar *Proceedings of the Conference on Advanced Concepts for Intelligent Vision Systems*.
- Kim K, Neretti N and Intrator N 2008 MAP fusion method for superresolution of images with locally varying pixel quality. *International Journal of Imaging Systems and Technology* **18**, 242–250.
- Kinsey J, Eustice R and Whitcomb L 2006 A survey of underwater vehicle navigation: Recent advances and new challenges *Proceedings of the IFAC Conference on Manoeuvring and Control of Marine Crafts*, Lisbon, Portugal.
- Klein G and Murray D 2007 Parallel tracking and mapping for small AR workspaces *IEEE and ACM International Symposium on Mixed and Augmented Reality*, Nara, Japan.
- Klette R 2014 *Concise Computer Vision: An Introduction into Theory and Algorithms*. Springer.
- Klette R, Krüger N, Vaudrey T, van Hulle KPM, Morales S, Kandil F, Haeusler R, Pugeault N, Rabe C and Lappe M 2011 Performance of correspondence algorithms in vision-based driver assistance using an online image sequence database. *IEEE Transactions on Vehicular Technology* **60**, 2012–2026.
- Klose S, Wang J, Achtelik MC, Panin G, Holzapfel F and Knoll A 2010 Markerless, vision-assisted flight control of a quadcopter *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Kolluri R 2008 Provably good moving least squares. *ACM Transactions on Algorithms* **4**, 18:1–18:25.
- Kolluri R, Shewchuk JR and O'Brien JF 2004 Spectral surface reconstruction from noisy point clouds *Eurographics/ACM SIGGRAPH symposium on Geometry processing*, Nice, France.
- Kolmogorov V and Rother C 2007 Minimizing nonsubmodular functions with graph cuts - a review. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **29**, 1274–1279.
- Konolige K, Bowman J, Chen J, Mihelich P, Calonder M, Lepetit V and Fua P 2010 View-based maps. *International Journal of Robotics Research* **29**, 941.
- Kopf J, Neubert B, Chen B, Cohen M, Cohen-Or D, Deussen O, Uyttendaele M and Lischinski D 2008 Deep photo: model-based photograph enhancement and viewing *ACM SIGGRAPH Asia*.
- Kovesi P 1993 A dimensionless measure of edge significance from phase congruency calculated via wavelets *Proceedings of the New Zealand Conference on Image Vision Computing*.
- Kratz L and Nishino K 2009 Factorizing scene albedo and depth from a single foggy image *ICCV09*, pp. 1071 – 1078.
- Krizhevsky A, Sutskever I and Hinton GE 2012 Imagenet classification with deep convolutional neural networks *Proceedings of the Conference on Advances in Neural Information Processing Systems*.
- Kroese BJA, Vlassis NA, Bunschoten R and Motomura Y 2001 A probabilistic model for appearance-based robot localization *Image and Vision Computing*.

- Krotosky S and M.M. Trivedi 2007 On color-, infrared-, and multimodal-stereo approaches to pedestrian detection. *IEEE Transactions on Intelligent Transportation Systems* **8**, 619–629.
- Kumar V and Michael N 2012 Opportunities and challenges with autonomous micro aerial vehicles. *International Journal of Robotics Research* **31**, 12791291.
- Kummerle R, Grisetti G, Strasdat H, Konolige K and Burgard W 2011 g2o: A general framework for graph optimization *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Labatut P, Pons JP and Keriven R 2007 Efficient multi-view reconstruction of large-scale scenes using interest points, delaunay triangulation and graph cuts *Proceedings of the International Conference on Computer Vision*.
- Labayrade R, Aubert D and Tarel J 2002 Real time obstacle detection in stereovision on non flat road geometry through "v-disparity" representation *Proceedings of the IEEE Intelligent Vehicles Symposium*, Versailles, France.
- Lal S and Craig A 2002 Driver fatigue: electroencephalography and psychological assessment. *Psychophysiology* **39**, 313–321.
- Lamon P, Nourbakhsh I, Jensen B and Siegwart R 2001 Deriving and matching image fingerprint sequences for mobile robot localization *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Lategahn H 2013 *Mapping and Localization in Urban Environments Using Cameras*. KIT Scientific Publishing.
- Leibe B, Cornelis N, Cornelis K and Van Gool L 2007 Dynamic 3D scene analysis from a moving vehicle *Proceedings of the conference on Computer Vision and Pattern Recognition*, Minneapolis, MN, USA.
- Leibe B, Leonardis A and Schiele B 2008 Robust object detection with interleaved categorization and segmentation. *International Journal of Computer Vision* **77**, 259–289.
- Lempitsky V and Ivanov D 2007 Seamless mosaicing of image-based texture maps *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Leonard J, Bennett A, Smith C and Feder H 1998 Autonomous underwater vehicle navigation. Technical memorandum 98-1. *MIT Marine Robotics Laboratory*.
- Levin A, Zomet A, Peleg S and Weiss Y 2004 Seamless image stitching in the gradient domain *Proceedings of the European Conference on Computer Vision*, Prague, Czech Republic.
- Li X and Hu Z 2010 Rejecting mismatches by correspondence function. *International Journal of Computer Vision* **89**, 1–17.
- Lim K, Ang L and Seng K 2009 New hybrid technique for traffic sign recognition *Proceedings of the International Symposium on Intelligent Signal Processing and Communications Systems*, Kanazawa, Japan.
- Linarth A and Angelopoulou E 2011 On feature templates for particle filter based lane detection *Proceedings of the IEEE International Conference on Intelligent Transportation Systems*, Washington, DC.
- Lindeberg T 1994 *Scale-Space Theory in Computer Vision*. Kluwer Academic Publishers.
- Lindeberg T 1998 Feature detection with automatic scale selection. *International Journal of Computer Vision* **30**, 79–116.
- Lindner F, Kressel U and Kälberer S 2004 Robust recognition of traffic signals. *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Lirman D, Gracias N, Gintert B, Gleason A, Deangelo G, Dick M, Martinez E and Reid RP 2010 Damage and recovery assessment of vessel grounding injuries on coral reef habitats using georeferenced landscape video mosaics. *Limnology and Oceanography: Methods* **8**, 88–97.
- Lirman D, Gracias N, Gintert B, Gleason A, Reid RP, Negahdaripour S and Kramer P 2007 Development and application of a video-mosaic survey technology to document the status of coral reef communities. *Environmental Monitoring and Assessment* **159**, 59–73.
- Liu G, Worgotter F and Markeli I 2011 Lane shape estimation using a partitioned particle filter for autonomous driving *Proceedings of the IEEE International Conference on Robotics and Automation*, Shanghai, China.
- Liu H, Liu D and Xin J 2002 Real-time recognition of road traffic sign in motion image based on genetic algorithm *Proceedings of the International Conference on Machine Learning and Cybernetics*, Beijing, China.
- Liu L, Xing J, Ai H and Lao S 2012 Semantic superpixel based vehicle tracking *Proceedings of the International Conference in Pattern Recognition*.
- Loianno G and Kumar V 2014 Smart phones power flying robots *RSS Robotics Science and Systems, Workshop on Resource-efficient Integration of Planning and Perception for True Autonomous Operation of Micro Air Vehicles (MAVs)*.
- Long J, Shelhamer E and Darrell T 2015 Fully convolutional networks for semantic segmentation *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Longuet-Higgins HC 1981 A computer algorithm for reconstructing a scene from two projections. *Nature* **293**, 122–135.
- Loose H and Franke U 2009 Kalman particle filter for lane recognition on rural roads *Proceedings of the IEEE Intelligent Vehicles Symposium*, Xian, China.
- Lopez A, Hilgenstock J, Busse A, Baldrich R, Lumbreras F and Serrat J 2008a Nighttime vehicle detection for intelligent headlight control *Proceedings of the Conference on Advanced Concepts for Intelligent Vision Systems*, Juan-les-Pins, France.
- Lopez A, Hilgenstock J, Busse A, Baldrich R, Lumbreras F and Serrat J 2008b Temporal coherence analysis for intelligent headlight control *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems, Workshop on Planning, Perception and Navigation for Intelligent Vehicles*, Nice, France.

- Lorensen WE and Cline HE 1987 Marching cubes: A high resolution 3D surface construction algorithm. *SIGGRAPH Computer Graphics* **21**, 163–169.
- Lowe D 1999 Object recognition from local scale-invariant features *Proceedings of the International Conference on Computer Vision*, p. 1150.
- Lowe D 2004 Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision* **60**, 90–110.
- Lupashin S, Hehn M, Mueller MW, Schoellig AP, Sherback M and D'Andrea R 2014 A platform for aerial robotics research and demonstration: The Flying Machine Arena. *Mechatronics* **24**, 4154.
- Lupashin S, Schollig A, Hehn M and D'Andrea R 2011 The flying machine arena as of 2010 *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Luzon-Gonzalez R, Nieves JL and Romero J 2015 Recovering of weather degraded images based on RGB response ratio constancy. *Applied Optics* **54**, B222 – B231.
- M. Montemerlo ST 2007 *FastSLAM: A Scalable Method for the simultaneous localization and mapping problem in robotics* vol. 27. Springer Tracts in Advanced Robotics.
- Ma KY, Chirarattananon P, Fuller SB and Wood RJ 2013 Controlled flight of a biologically inspired, insect-scale robot. *Science* **340**, 603–607.
- Ma Y, Soatto S, Kosecka J and Sastry S 2003 *An Invitation to 3-D Vision: From Images to Geometric Models*. Springer Verlag.
- Madjidi H and Negahdaripour S 2005 Global alignment of sensor positions with noisy motion measurements. *IEEE Transactions on Robotics* **21**, 1092–1104.
- Madjidi H and Negahdaripour S 2006 On robustness and localization accuracy of optical flow computation for underwater color images. *Photogrammetric Engineering* **104**, 61–76.
- Mahieu Y 2009 Highlights of the panorama of transport. Technical report, Eurostats.
- Mahon I, Pizarro O, Johnson-Roberson M, Friedman A, Williams S and Henderson J 2011 Reconstructing pavlopetri: Mapping the world's oldest submerged town using stereo-vision *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Mahony R, Kumar V and Corke P 2012 Multirotor aerial vehicles- modeling, estimation, and control of quadrotor. *IEEE Robotics and Automation Magazine* **19**, 20–32.
- Mallios A, Ridao P, Ribas D and Hernández E 2014 Scan matching SLAM in underwater environments. *Autonomous Robots* **36**, 181–198.
- Manson J, Petrova G and Schaefer S 2008 Streaming surface reconstruction using wavelets. *Computer Graphics Forum (Proceedings of the Symposium on Geometry Processing)* **27**, 1411–1420.
- Marchal P, Dehesa M, Gavrilu D, M.-M. Meinecke, Skellern N and Viciguerra R 2005 SAVE-U. final report. Technical report, Information Society Technology Programme of the EU.
- Marcos M, Soriano M and Saloma C 2005 Classification of coral reef images from underwater video using neural networks. *Optics Express* **13**, 8766–8771.
- Marín J, Vázquez D, Gerónimo D and A.M. López 2010 Learning appearance in virtual scenarios for pedestrian detection *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Marin J, Vazquez D, Lopez A, Amores J and Leibe B 2013 Random forests of local experts for pedestrian detection *Proceedings of the International Conference on Computer Vision*, Sydney, Australy.
- Marr D and Hildreth E 1980 Theory of edge detection. *Royal Society London, Series B, Biological Sciences* **207**, 187 – 217.
- Martinelli A 2012 Vision and IMU data fusion: Closed-form solutions for attitude, speed, absolute scale, and bias determination. *IEEE Transactions on Robotics* **28**, 44–60.
- Marzotto R, Fusiello A and Murino V 2004 High resolution video mosaicing with global alignment *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Mathies L and Shafer S 1987 Error modelling in stereo navigation. *IEEE Journal of Robotics and Automation* **3**, 239–248.
- Mayer N, H' ausser P, Fischer P, Cremers D, Dosovitskiy A and Brox T 2015 A large dataset to train convolutional networks for disparity, optical flow, and scene flow estimation *arXiv:1512.02134*.
- McCall J and Trivedi M 2006 Video-based lane estimation and tracking for driver assistance: survey. *IEEE Transactions on Intelligent Transportation Systems* **7**, 20–37.
- McLachlan GJ 2004 *Discriminant Analysis and Statistical Pattern Recognition*. Wiley Interscience.
- McLauchlan PF and Jaenicke A 2002 Image mosaicing using sequential bundle adjustment. *Image and Vision Computing* **20**, 751–759.
- Mefford M, Flannagan M and Bogard S 2006 Real-world use of high-beam headlamps. Technical report, Transportation Research Institute, University of Michigan.
- Mehta A, Ribeiro E, Gilner J and Woesik R 2007 Coral reef texture classification using support vector machines *Proceedings of the International Conference on Computer Vision Theory and Applications*, pp. 302–310.
- Meier L, Tanskanen P, Heng L, Lee GH, Fraundorfer F and Pollefeys M 2012 PIXHAWK: A micro aerial vehicle design for autonomous flight using onboard computer vision. *Autonomous Robots* **33**, 21–39.

- Mellinger D, Lindsey Q, Shomin M and Kumar V 2011 Design, modeling, estimation and control for aerial grasping and manipulation *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 2668–2673.
- Mellinger D, Michael N and Kumar V 2010 Trajectory generation and control for precise aggressive maneuvers with quadrotors *Proceedings of the International Symposium on Experimental Robotics*.
- Meuter M, Muller-Schneiders S, Mika A, Hold S, Nunn C and Kummert A 2009 A novel approach to lane detection and tracking *Proceedings of the IEEE International Conference on Intelligent Transportation Systems*, St. Louis, MO.
- Michael N, Fink J and Kumar V 2010a Cooperative manipulation and transportation with aerial robots. *Autonomous Robots* **30**, 73–86.
- Michael N, Mellinger D, Lindsey Q and Kumar V 2010b The GRASP multiple micro UAV testbed. *IEEE Robotics and Automation Magazine* **17**, 56 – 65.
- Michael N, Scaramuzza D and Kumar V 2012a Special issue on micro-uav perception and control. *Autonomous Robots* **33**, 1–3.
- Michael N, Shen S, Mohta K, Mulgaonkar Y, Kumar V, Nagatani K, Okada Y, Kiribayashi S, Otake K, Yoshida K, Ohno K, Takeuchi E and Tadokoro S 2012b Collaborative mapping of an earthquake-damaged building via ground and aerial robots. *Journal of Field Robotics* **29**, 832–841.
- Mika S, Ratsch G, Weston J, Scholkopf B and Muller K 1999 Fisher discriminant analysis with kernels *Proceedings of the Neural Networks for Signal Processing, Workshop on the Signal Processing Society*, pp. 41–48.
- Milgram D 1975 Computer methods for creating photomosaics. *IEEE Transactions on Computers* **24**, 1113–1119.
- Mills A and Dudek G 2009 Image stitching with dynamic elements. *Image and Vision Computing* **27**, 1593–1602.
- Mitzel D, Horbert E, Ess A and Leibe B 2010 Multi-person tracking with sparse detection and continuous segmentation *Proceedings of the European Conference on Computer Vision*, Crete, Greece.
- Mobley CR 1994 *Light and Water. Radiative transfer in Natural Waters*. Academic Press.
- Mogelmoose A, Trivedi MM and Moeslund TB 2012 Vision-based traffic sign detection and analysis for intelligent driver assistance systems: Perspectives and survey. *IEEE Transactions on Intelligent Transportation Systems* **13**, 1484–1497.
- Mohan A, Papageorgiou C and Poggio T 2001 Example-based object detection in images by components. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **23**, 349–361.
- Mohan R 2014 Deep deconvolutional networks for scene parsing *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Montemerlo M, Thrun S, Koller D and Wegbreit B 2003 FastSLAM 2.0: An improved particle filtering algorithm for simultaneous localization and mapping that provably converges *Proceedings of the International Joint Conference on Artificial Intelligence*, pp. 1151–1156.
- Moore KD and Jaffe JS 2002 Time-evolution of high-resolution topographic measurements of the sea floor using a 3D laser line scan mapping system. *Journal of Oceanic Engineering* **27**, 525545.
- Moore KD, Jaffe JS and Ochoa BL 2000 Development of a new underwater bathymetric laser imaging system: L-bath. *Journal of Atmospheric and Oceanic Technology* **17**, 11061117.
- Morales S and R K 2009 A third eye for performance evaluation in stereo sequence analysis *Proceedings of the conference on Computer Analysis of Images and Patterns*.
- Moutarde F, Bargeton A, Herbin A and Chanussot L 2007 Robust on-vehicle real-time visual detection of american and european speed limit signs, with a modular traffic signs recognition system *Proceedings of the IEEE Intelligent Vehicles Symposium*, Istanbul, Turkey.
- Mueller M, Lupashin S and D' Andrea R 2011 Quadrocopter ball juggling *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Mullen P, Goes FD, Desbrun M, Cohen-Steiner D and Alliez P 2010 Signing the unsigned: Robust surface reconstruction from raw pointsets. *Computer Graphics Forum (Proceedings of the Symposium on Geometry Processing)* **29**, 1733–1741.
- Munder S and Gavrilu DM 2006 An experimental study on pedestrian classification. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **28**, 1863–1868.
- Murphy-Chutorian E and Trivedi M 2009 Head pose estimation in computer vision: A survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **31**, 607–626.
- Murphy R 2014 *Disaster Robotics*. MIT.
- Najm W, Stearns M, Howarth H, Koopmann J and Hitz J 2006 Evaluation of an automotive rear-end collision avoidance system. Technical report, U.S. Department of Transportation.
- Narasimhan S, Nayar K, Sun B and Koppal S 2005 Structured light in scattering media *Proceedings of the International Conference on Computer Vision*.
- Narasimhan SG and Nayar SK 2002 Vision and the atmosphere. *Journal of Oceanic Engineering* **48**, 233 – 254.
- Narasimhan SG and Nayar SK 2003 Contrast restoration of weather degraded images. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **25**, 713 – 724.
- Nefian A and Bradski G 2006 Detection of drivable corridors for off-road autonomous navigation *Proceedings of the IEEE International Conference on Image Processing*, Atlanta, GA.

- Negahdaripour S 1998 Revised definition of optical flow: Integration of radiometric and geometric cues for dynamic scene analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **20**, 961–979.
- Negahdaripour S 2012a On 3D scene interpretation from FS sonar imagery *Proceedings of the IEEE/MTS OCEANS Conference*.
- Negahdaripour S 2012b Visual motion ambiguities of a plane in 2D FS sonar motion sequences. *Computer Vision and Image Understanding* **116**, 754–764.
- Negahdaripour S and Madjidi H 2003a Robust optical flow estimation using underwater color images *Proceedings of the IEEE/MTS OCEANS Conference*.
- Negahdaripour S and Madjidi H 2003b Stereovision imaging on submersible platforms for 3D mapping of benthic habitats and sea-floor structures. *IEEE Journal of Oceanic Engineering* **28**, 625–650.
- Negahdaripour S, Aykin MD and Sinnarajah S 2011 Dynamic scene analysis and mosaicing of benthic habitats by fs sonar imaging - issues and complexities *Proceedings of the IEEE/MTS OCEANS Conference*.
- Negahdaripour S, Prados R and Garcia R 2005 Planar homography: accuracy analysis and applications *Proceedings of the IEEE International Conference on Image Processing*.
- Neumann L, Matkovic K and Purgathofer W 1998 Automatic exposure in computer graphics based on the minimum information loss principle *Proceedings of the Computer Graphics International*.
- NHTSA 2007 Traffic safety facts. Technical report, National Center for Statistics and Analysis.
- Nicosevici T and Garcia R 2012 Automatic visual bag-of-words for online robot navigation and mapping. *IEEE Transactions on Robotics* **99**, 1–13.
- Nicosevici T, Gracias N, Negahdaripour S and Garcia R n.d. Efficient three-dimensional scene modeling and mosaicing. *Journal of Field Robotics* **26**, 759–788.
- Nieuwenhuisen M, Droschel D, Beul M and Behnke S 2015 Autonomous navigation for micro aerial vehicles in complex GNSS-denied environments. *Journal of Intelligent Robotic Systems* pp. 1–18.
- Nister D and Stewenius H 2006 Scalable recognition with a vocabulary tree *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Noh H, Hong S and Han B 2015 Learning deconvolution network for semantic segmentation *Proceedings of the International Conference on Computer Vision*.
- NVIDIA at CES 2016 Nvidia drive px2 autonomous car processing engine demo - ces 2016.
- Ohlich B, Rodner E and Denzler J 2012 Semantic segmentation with millions of features: Integrating multiple cues in a combined random forest approach *Proceedings of the Asian Conference on Computer Vision*.
- Ohtake Y, Belyaev A, Alexa M, Turk G and Seidel HP 2003 Multi-level partition of unity implicits. *ACM Transactions on Graphics* **22**, 463–470.
- Ohtake Y, Belyaev A and Seidel HP 2004 3D scattered data approximation with adaptive compactly supported radial basis functions *Proceedings of the Shape Modeling International*.
- Ojala T, Pietikainen M and Harwood D 1996 A comparative study of texture measures with classification based on featured distributions. *Pattern Recognition* **29**, 51–59.
- Olmeda D, de la Escalera A and Armingol J 2011 Far infrared pedestrian detection and tracking for night driving. *Robotica* **29**, 495–505.
- Opelt A, Fussenegger A and Auer P 2004 Weak hypotheses and boosting for generic object detection and recognition.
- Papageorgiou C and Poggio T 2000 A trainable system for object detection. *International Journal of Computer Vision* **38**, 15–33.
- Park K, Kima H, Baek M and Kee CD 2003 Multi-range approach of stereo vision for mobile robot navigation in uncertain environments. *Journal of Mechanical Science and Technology* **17**, 1411–1422.
- Paul R and Newman P 2010 FAB-MAP 3D: Topological mapping with spatial and visual appearance *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Paulsen RR, Baerentzen JA and Larsen R 2010 Markov random field surface reconstruction. *IEEE Transactions on Visualization and Computer Graphics* **16**, 636–646.
- Paz LM, Pinies P, Tardos JD and Neira J 2008 Large-scale 6-DOF SLAM with stereo-in-hand. *IEEE Transactions on Robotics* **24**, 946–957.
- Pelaez GA, Romero M, Armingol J, de la Escalera A, Munoz J, van Bijsterveld W and Bolano J 2012 Detection and classification of road signs for automatic inventory systems using computer vision. *Integrated Computer-Aided Engineering* **19**, 285–298.
- Pfeiffer D and Franke U 2011 Towards a global optimal multi-layer Stixel representation of dense 3D data *Proceedings of the British Machine Vision Conference*, Dundee, Scotland.
- Pfeiffer D, Gehrig S and Schneider N 2013 Exploiting the power of stereo confidences *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Pican N, Trucco E, Ross M, Lane D, Petillot Y and Ruiz I 1998 Texture analysis for seabed classification: co-occurrence matrices vs. self-organizing maps *Proceedings of the IEEE/MTS OCEANS Conference*, vol. 1, pp. 424–428.
- Piccioli G, de Micheli E, Parodi P and Campani M 1996 Robust method for road sign detection and recognition. *Image and Vision Computing* **14**, 209–223.

- Pinggera P, Franke U and Mester R 2013 Highly accurate depth estimation for objects at large distances. *Proceedings of the German Conference on Pattern Recognition*.
- Pizarro O 2004 *Large scale structure from motion for autonomous underwater vehicle surveys* PhD thesis Massachusetts Institute of Technology.
- Pizarro O and Singh H 2003 Toward large-area mosaicing for underwater scientific applications. *IEEE Journal of Oceanic Engineering* **28**, 651–672.
- Pizarro O, Eustice R and Singh H 2004 Large area 3D reconstructions from underwater surveys *Proceedings of the IEEE/MTS OCEANS Conference*.
- Pizarro O, Rigby P, Johnson-Roberson M, Williams S and Colquhoun J 2008 Towards image-based marine habitat classification *Proceedings of the IEEE/MTS OCEANS Conference*.
- Pomerleau D 1995 RALPH: rapidly adapting lateral position handler *Proceedings of the IEEE Intelligent Vehicles Symposium*, Detroit, USA.
- Porter T and Duff T 1984 Compositing digital images *Proceedings of the SIGGRAPH*.
- Prados R, Garcia R and Neumann L 2014 *Image Blending Techniques and their Application in Underwater Mosaicing*. Springer International Publishing.
- Prados R, Garcia R, Gracias N, Escartin J and Neumann L 2012 A novel blending technique for underwater gigamosaicing. *Journal of Oceanic Engineering* **37**, 626–644.
- Rabe C, Müller T, Wedel A and Franke U 2010 Dense, robust, and accurate motion field estimation from stereo image sequences in real-time *Proceedings of the European Conference on Computer Vision*.
- Ramos FT, Upcroft B, Kumar S and Durrant-Whyte HF 2005 A probabilistic model for appearance-based robot localization *Proceedings of the IJCAI Workshop on Reasoning with Uncertainty in Robotics*.
- Ranney T, Mazzai E, Garrott R and Goodman M 2001 NHTSA driver distraction research: Past, present, and future. Technical report, National Highway Traffic Safety Administration, Washington, DC.
- Rao M, Vazquez D and Lopez A 2011 Color contribution to part-based person detection in different types of scenarios *Proceedings of the International Conference on Computer Analysis of Images and Patterns*, Berlin Heidelberg.
- Raphael E, Kiefer R, Reisman P and Hayon G 2011 Development of a camera-based forward collision alert system. *SAE International Journal of Passengers Cars - Mechanical Systems* **4**, 467–478.
- Rezaei M and Klette R 2011 3D cascade of classifiers for open and closed eye detection in driver distraction monitoring *Proceedings of the conference on Computer Analysis of Images and Patterns*.
- Rezaei M and Klette R 2012 Novel adaptive eye detection and tracking for challenging lighting conditions *Proceedings of the Asian Conference on Computer Vision, Workshops*.
- Ribas D, Ridao P, Tardós J and Neira J 2008 Underwater SLAM in man made structured environments. *Journal of Field Robotics* **25**, 898–921.
- Richmond K and Rock SM 2006 An operational real-time large-scale visual mosaicking and navigation system *Proceedings of the IEEE/MTS OCEANS Conference*.
- Roman C and Singh H 2005 Improved vehicle based multibeam bathymetry using sub-maps and SLAM *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*, Edmonton, Canada.
- Roman C and Singh H 2007 A self-consistent bathymetric mapping algorithm. *Journal of Field Robotics* **24**, 23–50.
- Roman C, Inglis G and Rutter J 2010 Application of structured light imaging for high resolution mapping of underwater archaeological sites *Proceedings of the IEEE/MTS OCEANS Conference*.
- Romdhane N, Hammami M and Ben-Abdallah H 2011 A comparative study of vision-based lane detection methods *Proceedings of the Conference on Advanced Concepts for Intelligent Vision Systems*, Ghent, Belgium.
- Ros G, Ramos S, Granados M, Bakhtiary A, Vazquez D and Lopez A 2015 Vision-based offline-online perception paradigm for autonomous driving *Proceedings of the Winter Conference on Applications of Computer Vision*.
- Ros G, Sellart L, Materzynska J, Vázquez D and López AM 2016 The synthcity dataset: A large collection of synthetic images for semantic segmentation of urban scenes *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Rosenfeld A 1969 *Picture Processing by Computer*. Academic Press.
- Rosten E and Drummond T 2006 Machine learning for high-speed corner detection. *Proceedings of the European Conference on Computer Vision*.
- Rothermel M, Wenzel K, Fritsch D and Haala N 2012 SURE: Photogrammetric surface reconstruction from imagery *LC3D Workshop*.
- Rousseeuw P and Leroy A 1987 *Robust regression and outlier detection*. John Wiley & Sons, Inc., New York, NY, USA.
- Rousseeuw PJ 1984 Least median of squares regression. *Journal of the American Statistical Association* **79**, 871–880.
- Rubio J, Serrat J, López A and Ponsa D 2012 Multiple-target tracking for intelligent headlights control. *IEEE Transactions on Intelligent Transportation Systems* **13**, 594–605.
- Ruble E, Rabaud V, Konolige K and Bradski G 2011 ORB: An efficient alternative to SIFT or SURF. *Proceedings of the International Conference on Computer Vision*.

- Ruffier F and Franceschini N 2004 Visually guided micro-aerial vehicle: automatic take off, terrain following, landing and wind reaction *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Russell BC, Efron AA, Sivic J, Freeman WT and Zisserman A 2006 Using multiple segmentations to discover objects and their extent in image collection *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Ruta A, Li Y and Liu X 2010 Real-time traffic sign recognition from video by class-specific discriminative features. *Pattern Recognition* **43**, 416–430.
- Sanberg WP, Dubbelman G and de With PH 2014 Extending the stixel world with online self-supervised color modeling for road-versus-obstacle segmentation *Proceedings of the IEEE International Conference on Intelligent Transportation Systems*.
- Sappa A, Dornaika F, Ponsa D, Gerónimo D and López A 2008 An efficient approach to onboard stereo vision system pose estimation. *IEEE Transactions on Intelligent Transportation Systems* **9**, 476–490.
- Saripalli S, Montgomery JF and Sukhatme GS 2002 Vision-based autonomous landing of an unmanned aerial vehicle *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Sartori A, Tecchiolli G, Crespi B, Tarrago J, Daura F and Bande D 2005 Object presence detection method and device.
- Sawhney HS, Hsu SC and Kumar R 1998 Robust video mosaicing through topology inference and local to global alignment *Proceedings of the European Conference on Computer Vision*, Freiburg, Germany.
- Scaramuzza D, Achtelik M, Doitsidis L, Fraundorfer F, Kosmatopoulos EB, Martinelli A, Achtelik MW, Chli M, Chatzichristofis S, Kneip L, Gurdan D, Heng L, Lee G, Lynen S, Meier L, Pollefeys M, Renzaglia A, Siegwart R, Stumpf JC, Tanskanen, P. and Troiani C and Weiss S 2014 Vision-controlled micro flying robots: from system design to autonomous navigation and mapping in GPS-denied environments. *IEEE Robotics and Automation Magazine* **21**, 26–40.
- Scaramuzza D and Fraundorfer F 2011 Visual odometry [tutorial] part1: The first 30 years and fundamentals. *IEEE Robotics and Automation Magazine* **18**, 80–92.
- Scharstein D and Szeliski R 2002 Middlebury online stereo evaluation <http://vision.middlebury.edu/stereo>.
- Scharwächter T, Enzweiler M, Roth S and Franke U 2013 Efficient multi-cue scene segmentation *Proceedings of the German Conference on Pattern Recognition*, Saarbrücken, Germany.
- Schaudel C and Falb D 2007 Smartbeam – a highbeam assist *Proceedings of the International Symposium on Automotive Lighting*, Darmstadt, Germany.
- Schechner Y, Narashiman SG and Nayar SK 2001 Instant dehazing of images using polarization *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Schechner YY and Karpel N 2004 Clear underwater vision *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Schechner YY and Karpel N 2005 Recovery of underwater visibility and structure by polarization analysis. *Journal of Oceanic Engineering* **30**, 570–587.
- Schindler G, Brown M and Szeliski R 2007 City-scale location recognition *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Schmid C, Mohr R and Bauckhage C 1998 Comparing and evaluating interest points *Proceedings of the International Conference on Computer Vision*.
- Schmid K, Lutz P, Tomic T, Mair E and Hirschmuller H 2014 Autonomous vision-based micro air vehicle for indoor and outdoor navigation. *Journal of Field Robotics* **31**, 537570.
- Schmidt S and Färber B 2009 Pedestrians at the kerb - recognising the action intentions of humans. *Transportation Research Part F* **12**, 300–310.
- Schoellig A, Augugliaro F and D'Andrea R 2010 A platform for dance performances with multiple quadcopters *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems, Workshop on Robots and Musical Expressions*.
- Schoening T 2015 *Automated detection in benthic images for megafauna classification and marine resource exploration: supervised and unsupervised methods for classification and regression tasks in benthic images with efficient integration of expert knowledge* PhD thesis Bielefeld University.
- Schönberger JL, Fraundorfer F and Frahm JM 2014 Structure-from-motion for mav image sequence analysis with photogrammetric applications. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences* **XL-3**, 305–312.
- Schreiber M, Knöppel C and Franke U 2013 Laneloc: Lane marking based localization using highly accurate maps *Proceedings of the IEEE Intelligent Vehicles Symposium*, Gold Coast, Australia.
- Seet G and He D 2005 Optical image sensing through turbid water *Proceeding of SPIE*, vol. 5852, pp. 74–75.
- Serikawa S and Lu H 2013 Underwater image dehazing using joint trilateral filter. *Computers and Electrical Engineering* **40**, 41–50.
- Sermanet P, Eigen D, Zhang X, Mathieu M, Fergus R and LeCun Y 2014 OverFeat: Integrated recognition, localization and detection using convolutional networks *Proceedings of the International Conference on Learning Representations*.

- Shen S 2014 *Autonomous Navigation in Complex Indoor and Outdoor Environments with Micro Aerial Vehicles* PhD thesis University of Pennsylvania Philadelphia, PA, USA.
- Shen S, Michael N and Kumar V 2011 Autonomous multi-floor indoor navigation with a computationally constrained mav *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Shen S, Michael N and Kumar V 2012 Autonomous indoor 3D exploration with a micro-aerial vehicle *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Shen S, Mulgaonkar Y, Michael N and Kumar V 2013a Vision-based state estimation and trajectory control towards aggressive flight with a quadrotor *Proceedings of Robotics Science and Systems*.
- Shen S, Mulgaonkar Y, Michael N and Kumar V 2013b Vision-based state estimation and trajectory control towards aggressive flight with a quadrotor *Robotics: Science and Systems*.
- Shi J and Tomasi C 1994 Good features to track *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Shiela M, David L, Peñaflor E, Ticzon V and Soriano M 2008 Automated benthic counting of living and non-living components in ngedarrak reef, palau via subsurface underwater video. *Environmental Monitoring and Assessment* **145**, 177–184.
- Shihavuddin A, Gracias N and Garcia R 2012 Online sunflicker removal using dynamic texture prediction *Proceedings of the International Conference on Computer Vision Theory and Applications*.
- Shihavuddin A, Gracias N, Garcia R, Campos R, Gleason AC and Gintert B 2014 Automated detection of underwater military munitions using fusion of 2D and 2.5D features from optical imagery. *Marine Technology Society Journal* **48**, 61–71.
- Shihavuddin A, Gracias N, Garcia R, Gleason A and Gintert B 2013 Image-based coral reef classification and thematic mapping. *Remote Sensing* **5**, 1809–1841.
- Shimizu M and Okutomi M 2001 Precise sub-pixel estimation on area-based matching *Proceedings of the International Conference on Computer Vision*, Anchorage, Alaska, USA.
- Shin B, Xu Z and Klette R 2014 Visual lane analysis and higher-order tasks: a concise review. *Machine Vision and Applications* **25**, 1519–1547.
- Shum HY and Szeliski R 1998 Construction and refinement of panoramic mosaics with global and local alignment *Proceedings of the International Conference on Computer Vision*, Washington, DC, USA.
- Singh H, Howland J and Pizarro O 2004 Advances in large-area photomosaicking underwater. *IEEE Journal of Oceanic Engineering* **29**, 872–886.
- Singh H, Roman C, Pizarro O, Eustice RM and Can A 2007 Towards high-resolution imaging from underwater vehicles. *International Journal of Robotics Research* **26**, 55–74.
- Singh R and Agrawal A 2011 Intelligent suspensions *Proceedings of the International Conference on Interdisciplinary Research and Development*, Thailand.
- Sivaraman S and Trivedi MM 2013 Looking at vehicles on the road: A survey of vision-based vehicle detection, tracking, and behavior analysis. *IEEE Transactions on Intelligent Transportation Systems* **14**, 1773–1795.
- Sivic J 2006 *Efficient visual search of images and videos* PhD thesis University of Oxford.
- Skipper J and Wierwille W 1986 Drowsy driver detection using discriminant analysis. *Human Factors* **28**, 527–540.
- Smith RC and Baker KS 1981 Optical properties of the clearest natural waters (200–800 nm). *Applied Optics* **20**, 177–184.
- Sobel I 1970 *Camera models and machine perception*. Stanford University Press.
- Socarras Y, Ramos S, Vazquez D, Lopez A and Gevers T 2013 Adapting pedestrian detection from synthetic to far infrared images *Proceedings of the International Conference on Computer Vision, Workshop on Visual Domain Adaptation and Dataset Bias*, Sydney, Australy.
- Soriano M, Marcos S, Saloma C, Quibilan M and Alino P 2001 Image classification of coral reef components from underwater color video *Proceedings of the IEEE/MTS OCEANS Conference*.
- Sou 2015. Retrieved February 26, 2015, from www.soundmetrics.com/Products/DIDSON-Sonars.
- Stallkamp J, Schlipsing M, Salmen J and Igel C 2011 The german traffic sign recognition benchmark: A multi-class classification competition *Proceedings of the conference on Computer Vision and Pattern Recognition*, San Jose, CA, USA.
- Stokes M and Deane G 2009 Automated processing of coral reef benthic images. *Limnology and Oceanography: Methods* **7**, 157–168.
- Suaste V, Caudillo D, Shin B and Klette R 2013 Third-eye stereo analysis evaluation enhanced by data measures *Proceedings of the Mexican Conference on Pattern Recognition*.
- Sun J, Zheng N and Shum H 2003 Stereo matching using belief propagation. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **25**, 1–14.
- Sunderhauf N, Shirazi S, Dayoub F, Upcroft B and Milford M 2015 On the performance of ConvNet features for place recognition *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- Szegedy C, Toshev A and Erhan D 2013 Deep neural networks for object detection.
- Szeliski R 1994 Image mosaicing for tele-reality applications *Proceedings of the Winter Conference on Applications of Computer Vision*.

- Szeliski R 1999 Prediction error as a quality metric for motion and stereo *Proceedings of the International Conference on Computer Vision*.
- Szeliski R 2006 Image alignment and stitching: a tutorial. *Foundations and Trends in Computer Graphics and Vision* **2**, 1–104.
- Szeliski R and Shum HY 1997 Creating full view panoramic image mosaics and environment maps *Proceedings of the SIGGRAPH*.
- Szeliski R, Uyttendaele, M. and Steedly D 2008 Fast poisson blending using multi-splines. Technical report, Interactive Visual Media.
- Tan RT 2009 Visibility in bad weather from a single image *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Tang S, Andriluka M and Schiele B 2009 Detection and tracking of occluded people *Proceedings of the British Machine Vision Conference*, London, UK.
- Tango F, Botta M, Minin L and Montanari R 2010 Non-intrusive detection of driver distraction using machine learning algorithms *Proceedings of the European Conference on Artificial Intelligence*, Lisbon, Portugal.
- Tao S, Feng H, Xu Z and Li Q 2012 Image degradation and recovery based on multiple scattering in remote sensing and bad weather condition. *Optics Express* **20**, 16584 – 16595.
- Tarel JP and Hautiere N 2009 Fast visibility restoration from a single color or gray level image *Proceedings of the International Conference on Computer Vision*.
- Tena I, Reed S, Petillot Y, Bell J and Lane DM 2003 Concurrent mapping and localisation using side-scan sonar for autonomous navigation *Proceedings of the International Symposium on Unmanned Untethered Submersible Technology*.
- Tetlow S and Spours J 1999 Three-dimensional measurement of underwater work sites using structured laser light. *Measurement Science and Technology* **10**, 11621169.
- No Hands Across America Webpage*
- No Hands Across America Webpage* 1995 www.cs.cmu.edu/afs/cs/usr/tjochem/www/nhaa/nhaa_home_page.html.
- vCharge Project*
- vCharge Project* n.d. www.v-charge.eu.
- VisLab PROUD-Car Test*
- VisLab PROUD-Car Test* 2013 vislab.it/proud/.
- Thrun S, Montemerlo M, Dahlkamp H, Stavens D, Aron A, Diebel J, Fong P, Gale J, Halpenny M, Hoffmann G, Lau K, Oakley C, Palatucci M, Pratt V, Stang P, Strohband S, Dupont C, Jendrossek L, Koelen C, Markey C, Rummel C, van Niekerk J, Jensen E, Alessandrini P, Bradski G, Davies B, Ettinger S, Kaehler A, Nefian A and Mahoney P 2007 Stanley: The robot that won the DARPA grand challenge In *The 2005 DARPA Grand Challenge* (ed. Buehler M, Iagnemma K and Singh S) vol. 36 of *Springer Tracts in Advanced Robotics* Springer Berlin / Heidelberg pp. 1–43.
- Timofte R, Zimmermann K and Gool LV 2009 Multi-view traffic sign detection, recognition, and 3D localisation *Proceedings of the Workshop on Applications on Computer Vision*, Snowbird, UT, USA.
- Torralba A, Murphy KP, Freeman WT and Rubin MA 2003 Context-based vision system for place and object recognition *Proceedings of the International Conference on Computer Vision*.
- Treat J, Tumbas N, McDonald S, Shinar D, Hume R, Mayer R, Stansifer R and Castellan N 1979 Tri-level study of the causes of traffic accidents. Technical report, Federal Highway Administration, US DOT.
- Tri 2015. Retrieved February 26, 2015, from www.tritech.co.uk/product/gemini-720i-300m-multibeam-imaging-sonar.
- Triggs B, McLauchlan PF, Hartley RI and Fitzgibbon AW 1999 Bundle adjustment - a modern synthesis *Proceedings of the International Conference on Computer Vision*, Corfu, Greece.
- Troiani C, Martinelli A, Laugier C and Scaramuzza D 2013 1-point-based monocular motion estimation for computationally-limited micro aerial vehicles *Proceedings of the European Conference on Mobile Robots*.
- UN – ECE 2005 Statistics of road traffic accidents in Europe and North America. Technical report, Geneva, Switzerland.
- Uyttendaele M, Eden A and Szeliski R 2001 Eliminating ghosting and exposure artifacts in image mosaics *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Vaganay J, Elkins M, Willcox S, Hover F, Damus R, Desset S, Morash J and Polidoro V 2005 Ship hull inspection by hull-relative navigation and control *Proceedings of the IEEE/MTS OCEANS Conference*.
- Valgren C and Lilienthal AJ 2010 SIFT, SURF & seasons: Appearance-based long-term localization in outdoor environments *Robotics and Autonomous Systems*, vol. 58.
- Van Woensel L, Archer G, Panades-estruch L and Vrscaj D 2015 Ten technologies which could change our lives: potential impacts and policy implications. Technical report, European Parliamentary Research Service.
- Varma M and Zisserman A 2005 A statistical approach to texture classification from single images. *International Journal of Computer Vision* **62**, 61–81.

- Vazquez D, López A, Marín J, Ponsa D and Gerónimo D 2014 Virtual and real world adaptation for pedestrian detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **36**, 797–809.
- Viola P and Jones M 2001a Rapid object detection using a boosted cascade of simple features *Proceedings of the conference on Computer Vision and Pattern Recognition*, Kauai, HI, USA.
- Viola P and Jones M 2001b Robust real-time object detection. *International Journal of Computer Vision* **57**, 137–154.
- Vogel C, Schindler K and Roth S 2013 Piecewise rigid scene flow *Proceedings of the International Conference on Computer Vision*.
- Volow M and Erwin C 1973 The heart rate variability correlates of spontaneous drowsiness onset *Proceedings of the International Automotive Engineering Congress*, Detroit, USA.
- Wahlgren C and Duckett T 2005 Topological mapping for mobile robots using omnidirectional vision *Swedish Workshop on Autonomous Robotics*.
- Walk S, Schindler K and Schiele B 2010 Disparity statistics for pedestrian detection: Combining appearance, motion and stereo. *Proceedings of the European Conference on Computer Vision*.
- Wang J, Cipolla R and Zha H 2005 Vision-based global localization using a visual vocabulary *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Wang Q, Gaidon A and Vig E 2016 Virtual worlds as proxy for multi-object tracking analysis *Proceedings of the conference on Computer Vision and Pattern Recognition*.
- Wang Y, Teoh E and Shen D 2003 Lane detection and tracking using b-snake. *Image and Vision Computing* **22**, 269–280.
- Wei J, Snider J, Kim J, Dolan J, Rajkumar R and Litkouhi B 2013 Towards a viable autonomous driving research platform *Proceedings of the IEEE Intelligent Vehicles Symposium*.
- Weidemann A, Fournier G, Forand L and Mathieu P 2005 Optical image sensing through turbid water, *Proc.SPIE*, vol. 5780, pp. 59–70.
- Weiss S, Achtelik M, Lynen S, Chli M and Siegwart R 2012 Real-time onboard visual-inertial state estimation and self-calibration of mavs in unknown environments *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Weiss S, Achtelik MW, Lynen S, Achtelik MC, Kneip L, Chli M and Siegwart R 2013 Monocular vision for long-term micro aerial vehicle state estimation: A compendium. *Journal of Field Robotics* **30**, 803831.
- Weiss S and Siegwart R 2011 Real-time metric state estimation for modular vision-inertial systems *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Weiss S, Brockers R, Albrechtsen S and Matthies L 2015 Inertial optical flow for throw-and-go micro air vehicles *Proceedings of the Winter Conference on Applications of Computer Vision*.
- WHO 2013 Global status chapter on road safety.
- Wikipedia n.d. Autonomous car en.wikipedia.org/wiki/Autonomous_car.
- Wöhler C and Anlauf JK 1999 An adaptable time-delay neural-network algorithm for image sequence analysis. *IEEE Transactions on Neural Networks* **10**, 1531–1536.
- Wojek C, Walk S, Roth S, Schindler K and Schiele B 2014 Monocular visual scene understanding: understanding multi-object traffic scenes. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **35**, 882–897.
- Wozniak B and Dera J 2007 *Light Absorption in Sea Water* vol. 33 of *Atmospheric and Oceanographic Sciences Library*. Springer.
- Wu S, Chiang H, Perng J, Chen C, Wu B and Lee T 2008 The heterogeneous systems integration design and implementation for lane keeping on a vehicle. *IEEE Transactions on Intelligent Transportation Systems* **9**, 246–263.
- Xiao J, Fang T, Zhao P, Lhuillier M and Quan L 2009 Image-based street-side city modeling *Proceedings of the SIGGRAPH*.
- Xie Y, Liu LF, Li CH, and Qu YY 2009 Unifying visual saliency with hog feature learning for traffic sign detection *Proceedings of the IEEE Intelligent Vehicles Symposium*, Xi'an, China.
- Xiong Y and Pulli K 2009 Color correction based image blending for creating high resolution panoramic images on mobile devices *Proceedings of the SIGGRAPH Asia*, Yokohama, Japan.
- Xu J, Ramos S, Vazquez D and Lopez A 2014a Domain adaptation of deformable part-based models. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **36**, 2367–2380.
- Xu J, Ramos S, Vázquez D and López A 2016 Hierarchical adaptive structural SVM for domain adaptation. *International Journal of Computer Vision*.
- Xu J, Vázquez D, López A, Marín J and Ponsa D 2014b Learning a part-based pedestrian detector in a virtual world. *IEEE Transactions on Intelligent Transportation Systems* **15**, 2121–2131.
- Xu Z and Shin BS 2013 Accurate line segment detection with hough transform based on minimum entropy *Proceedings of the Pacific-Rim Symposium Image Video Technology*, Guanajuato, Mexico.
- Yamaguchi K, McAllester D and Urtasun R 2014 Efficient joint segmentation, occlusion labeling, stereo and flow estimation *Proceedings of the European Conference on Computer Vision*.
- Yang R and Pollefeys M 2003 Multi-resolution real-time stereo on commodity graphics hardware *Proceedings of the conference on Computer Vision and Pattern Recognition*.

- Yang S, Scherer SA and Zell A 2014 Visual SLAM for autonomous MAVs with dual cameras *Proceedings of the IEEE International Conference on Robotics and Automation*, Hongkong, China.
- Yeh T, Lee J and Darrell T 2007 Adaptive vocabulary forests for dynamic indexing and category learning *Proceedings of the International Conference on Computer Vision*.
- Yoerger DR, Kelley DS and Delaney JR 2000 Fine-scale three-dimensional mapping of a deep-sea hydrothermal vent site using the Jason ROV system. *International Journal of Robotics Research* **19**, 1000–1014.
- Zeng Y and Klette R 2013 Multi-run 3D streetside reconstruction from a vehicle *Proceedings of the conference on Computer Analysis of Images and Patterns*.
- Zhang H 2011 BoRF: Loop-closure detection with scale invariant visual features *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Zhang H and Negahdaripour S 2003 On reconstruction of 3D volumetric models of reefs and benthic structures from image sequences of a stereo rig *Proceedings of the IEEE/MTS OCEANS Conference*, San Diego, USA.
- Zhang H, Geiger A and Urtasun R 2013 Understanding high-level semantics by modeling traffic patterns *Proceedings of the International Conference on Computer Vision*, Sydney, Australia.
- Zhang J, Marszałek M, Lazebnik S and Schmid C 2005 Local features and kernels for classification of texture and object categories: An in-depth study. Technical report, INRIA.
- Zhao HK, Osher S and Fedkiw R 2001 Fast surface reconstruction using the level set method *Proceedings of the IEEE Workshop on Variational and Level Set Methods*.
- Zhao W 2006 Flexible image blending for image mosaicing with reduced artifacts. *International Journal of Pattern Recognition and Artificial Intelligence* **20**, 609–628.
- Zhou D, Wang J and Wang S 2012 Contour based hog deer detection in thermal images for traffic safety *Proceedings of the International Conference on Image Processing, Computer Vision, and Pattern Recognition*, Las Vegas, NV, USA.
- Zhou S, Jiang Y, Xi J, Gong J, Xiong G and Chen H 2010 A novel lane detection based on geometrical model and gabor filter *Proceedings of the IEEE Intelligent Vehicles Symposium*, San Diego, CA, USA.
- Zhu Z, Riseman E, Hanson A and Schultz H 2005 An efficient method for geo-referenced video mosaicing for environmental monitoring. *Machine Vision and Applications* **16**, 203–216.
- Ziegler et al. J 2014a Making bertha drive - an autonomous journey on a historic route *IEEE Intelligent Transportation Systems Magazine*.
- Ziegler et al. J 2014b Video based localization for bertha *Proceedings of the IEEE Intelligent Vehicles Symposium*, Dearborn, MI.
- Zingg S, Scaramuzza D, Weiss S and Siegwart R 2010a MAV navigation through indoor corridors using optical flow *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Zingg S, Scaramuzza D, Weiss S and Siegwart R 2010b MAV navigation through indoor corridors using optical flow *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Zitova B and Flusser J 2003 Image registration methods: a survey. *Image and Vision Computing* **21**, 977–1000.
- Zufferey J 2009 *Bio-inspired flying robots*. Taylor and Francis Group, LLC, EPFL Press.
- Zufferey J and Floreano D 2006 Fly-inspired visual steering of an ultralight indoor aircraft. *IEEE Transactions on Robotics* **22**, 137–146.